INDEX TO VOLUME 37

New names and combinations and the pages of publication are printed in **boldface**.

Abronia: elliptica 403; *salsa* 403; *turbinata* 402, 403
Acacia 85, 186–189, 425; ser. *Vulgares* 188, 189; *adhaerens* 188; *brevispica* 188; *guilandinae* 85; **kallunkiae 186–189**, figs. 187 & 188; *kraussiana* 188; *miersii* 188, 189; *mikanii* 188, 189; *paniculata* 188, 425; *rigidula* 315; *riparia* 188; *schweinfurthii* 188
Acanthaceae 199–208, 243–251, 358, 359; Isoglosseae 202; Isoglossenae 202; Porphyrocominae 202
Acer: glabrum 388; *kingii* 403; *negundo* var. *interius* 403; *rubrum* 363; *skutchi* 229
Acrostichum: boryanum 264, 272; *hirtum* 272; *podotrichum* 272; *undulatum* 272
Actinea: heterophylla α *dentata* f. *bicolor* 325, β *latifolia* 325, γ *linearifolia* f. *concolor* 325
Actinella richardsonii var. *canescens* 403
Additional herbarium specimens located at Columbia University, by Arnold Tiehm 105
Aecidiella 383; *triumfettae* 383
Aecidium: crepidicolum 386; *eurotiae* 386
Aesculus octandra 363
Agalinis 195, 197, 352–354; *brevifolia* 352; **chaparensis 352**, fig. 353; *lanceolata* 354; *megalantha* 352; **pennellii 352–354**, fig. 353; *reflexidens* 352; *tarijensis* 352, 354
Agaricales 182
Agave 230; *lechugilla* 315; *utahensis* 403
Agoseris: glauca 387, α *integerrima* 339, var. *laciniata* 415; *villosa* 388
Agropyron glaucum 387
Agrostis: exarata var. *monolepis* 403; *microphylla* var. *major* 403
Ainsliea aptera f. *paniculata* 325
Aletes 104
Algae 283, 382–385
Alismataceae 17–21; Alismatidae 17–21
Alismatiflorae 232
Allenrolfea occidentalis 413
Allium: acuminatum 254; *atrorubens* 403; *bisceptrum* 403; *brevistylum* 403; *cernuum* 387; *cratericola* 394; *nevadense* 403; *parvum* 403; *siskiyouense* 394; *tribracteatum* var. *andersonii* 403; *validum* 403
ALLRED, KELLY W., Morphologic variation and classification of the North American *Aristida purpurea* complex (Gramineae), Erratum 162
Amaranthus 400
Amaryllidaceae 47–55, 305–309
Amberboia lippii γ *bipinnatifida* 325, α *latisecta* 326, β *pectinata* 326
Ambrosia: artemisiaefolia β *octocornis* 326, α *quadricornis* 339; *trifida* var. *heterophylla* 339
Amellus asper γ *canescens* 326, f. *bicolor* 326, β *glabriusculus* 326
Amphitecna regalis 223, 350
Amyema 73
Anatomy, wood and stem: Misodendraceae 58–75
Andreaea 284
Angelica: kingii 421; *pinnata* 403
Angelopogon 73
Angiosperms 382, 384, 388–390
Anisothrix kuntzei 326
Anomochloa 1
Antennaria dimorpha 404, var. *macrocephala* 404, var. *nuttallii* 404
Anthoceros 281
Anthophoridae 82
Anthurium 34
Antirrhinum kingii 404
Apiaceae 88–95, 102–105, 202, 252–260
Apis mellifera 82
Appalachians: Russulas 360–365
Aquilegia flavescens 404
Arabis: canescens var. *latifolia* 404, var. *stylosa* 404; *drummondii* var. *alpina* 404; *fernaldiana* var. *stylosa* 404; *lemmonii* var. *lemmonii* 404; *longirostris* 404; *lyallii* 404
Araceae 232, 233
Arachis 83, key 83
Arales 232
Arberella 22–30; **bahiensis** 22, **23–27**, key 23, figs. 24, 26 & 27; *costaricensis* key 23; *dressleri* key 23; *flaccida* key 23; **lancifolia** 22, key 23, **25**, 27–30, figs. 28–30
Arecaceae 232, 233, 366–368
Arenaria: aculeata 404; *congesta* var. *subcongesta* 404; *fendleri* var. *glabrescens* 404, var. *subcongesta* 404; *kingii* 422, var. *glabrescens* 404
Argemone: munita subsp. *rotundata* 404; *rotundata* 404
Aristida: arizonica 162; *purpurea* 162
Arnica: cordifolia 387; *longifolia* 404
Arracacia 230
Artemisia spinescens 321
Arthrocarpum 81, 83, key 83
Asclepiadaceae 198
Asclepias cryptoceras 404
Aster 369–372, 383; subg. *Aster* 369; subg. *Conyzopsis* 369; subg. *Symphyotrichum* 369; sect. *Brachyactis* 369; sect. *Conyzopsis* 369–372, fig. 370; sect. *Dumosi* 369; sect. *Salicifolii* 369; subsect. *Foliacei* 369; subsect. *Occidentales* 369; *acuminatus* f. *discodeus* 339, f. *subdiscodeus* 339; *adscendens* var. *parryi* 405; *alpigenus* subsp. *haydenii* 405; *asperugineus* 405; *brachyactis* 369–371, fig. 370; *eatonii* 405; *foliaceus* var. *eatonii* 405, var. *frondeus* 405, var. *parryi* 405; *frondosus* 369–371, fig. 370; *graveolens* var. *oligantha* 339, var. *pyramidalis* 339; *kingii* 405; *lanceolatus* var. *monocephalus* 339; *latissimifolius* var. *confertiflorus* 339; *laurentianus* 369–371, fig. 370;

macrophyllus var. *albiflorus* 339, var. *coeruleus* 326; *multiflorus* β *prostratus* 326; *nardophyllum* 326; *occidentalis* 369, 371, var. *scabriusculis* 405; *oregonus* 405; *pulchellus* 405; *sejaensis* 326; *subracemosus* 388; *trinervius* var. *hongkongensis* 326, var. *ovatus* f. *pubescens* 326; *watsonii* 405
Asteraceae 6–13, 96, 97, 117–121, 165–168, 173, 211–218, keys to *Cacalioid & Senecionoid* genera 212, 237–242, 325–340, 369–377, 394–396, 426; Astereae 121, 165–168; Eupatorieae 373; Heliantheae 394–396; Liabeae 8; Mutisieae 6; Senecioneae 6, 211–218; Critoniinae 373; Gyptidinae 373; Hebecliniinae 373, 374; Praxelinae 373
Asterina colubrinae 383
Asteriscus stenophyllus var. *villososericeus* 339
Asteroma ribicola 386
Astragalus: atratus 405; *atropubescens* 388; *calycosus* 402, 405; *eriocarpus* 405; *iodanthus* 405; *jejunus* 405; *kelseyi* 384, 388; *kentrophyta* var. *elatus* 405, var. *implexus* 406, var. *ungulatus* 405; *lentiginosus* var. *macrolobus* 409, var. *toyabensis* 406; *newberryi* var. *castoreus* 405; *nudus* 406; *obscurus* 406; *oophorus* 406; *porrectus* 406; *pterocarpus* 321, 406; *robbinsii* var. *occidentalis* 406; *serenoi* var. *serenoi* 406; *strigosus* 388; *tegetarius* 406; *tenellus* 413
Atriplex: phyllostegia 416; *pusilla* 416; *torreyi* 416; *truncata* 416
Aulospermum 104; *watsonii* 406
AUSTIN, DANIEL F. & GEORGE W. STAPLES, *Petrogenia* as a synonym of *Bonamia* (Convolvulaceae), with comments on allied species 310–316
Baccharis: abietina 326; *dracunculifolia* var. *integerrima* f. *subviscosa* 326, var. *subdentata* f. *subviscosa* 326; *fallax* 326; *magellanica* var. *subviscosa* 326, var. *viscosissima* 327; *oppositifolia* 327; *perulata* 327; *plucheaeformis* 327; *racemosa* β *angolensis* 327, γ *integerrima* 327; *serrulata* δ *subscandens* 327; *trinitensis* 327; *ulicina* β *subintegrifolia* 327; *viscosa* var. *nigricans* 339; *vitis-idaea* 339
Bamboo 1–5, 22
Bananas 233
Barkleyanthus key 213, 216; *salicifolius* 216
BARKLEY, THEODORE M., Infrageneric groups in *Senecio*, s.l., and *Cacalia*, s.l. (Asteraceae: Senecioneae) in Mexico and Central America 211–218
Barnadesia: glomerata 327; *macrocephala* 327
BARNEBY, RUPERT C.—book review of *Fruits and Seeds of Genera in the Subfamily Mimosoideae (Fabaceae)*, by Charles R. Gunn 424–425
———.—book review of *Scala Millettiearum: A Survey of the Genera of the Tribe Millettieae (Legum.-Pap.), with Methodological Considerations*, by Robert Geesink 178
———.—book review of *The European Garden Flora. Volume II. Monocotyledons (Part 2): Juncaceae to Orchidaceae*, edited by a board of ten members led by S. M. Walters 233–234
———. See Grimes & Barneby 186–189
———. See Irwin & Barneby 14–16, 192–194
———, The genus *Mimosa* (Mimosaceae) in Bahia, Brazil: new taxa and nomenclatural adjustments 125–153
———, The identity and synonymy of *Acacia guilandinae, Mimosa obovata, M. pseudo-obovata*, and *M. laticifera* (Mimosaceae) 85–87
BARONI, TIMOTHY J. See Halling & Baroni 182–185
BARRINGER, KERRY A., A new species of *Maxillaria* (Orchidaceae) from Costa Rica 44–46
———.—book review of *Bibliographia Orchidacearum, Volume 2*, by Helga Dietrich 77
———, Three new species of *Elleanthus* (Orchidaceae) from Central America 286–290
———, Two new species of *Agalinis* (Scrophulariaceae) from South America 352–354
———, Two new species of *Esterhazya* (Scrophulariaceae) from Brazil 195–198
Bartlettina 373, 374; *paezense* 374; *platyphylla* 374; *sordida* 377
Bees, honey 82
Beetles 82
Begonia 4
BEITEL, JOSEPH M.—book review of *Ferns of Jamaica*, by George R. Proctor 235
Berberis hartwegii 230
Berkheya: amplexicaulis 339; *arctiifolia* 327; *kuntzei* 327
Berkheyopsis kuntzei 327
Bernoullia flammea 224
Bidens: andicola γ *decompositus* 327, β *heterophyllus* 327; *artemisiaefolius* γ *calvus* var. *sulfureus* 327, α *caudatus* var. *fuscus* 327, var. *roseus* 327, var. *ruber* 327, β *intermedius* var. *aurantiacus* 328; *grandiflorus* β *brevilobus* 328, γ *longilobus* 339; *peucedanifolius* α *bipinnatisectus* 339, β *tiraquensis* 328; *pilosus* β *discodeus* 3. *pinnatus* 328, 4. *subbiternatus* 328, 2. *ternatus* 339, α *leucanthus* 4. *subbiternatus* 328, 1. *subsimplicifolius* 328, 2. *ternatus* 328, f. *pilosior* 339
Bigelowia (*Bigelovia*) 386, 387, 406; *douglasii* var. *stenophylla* 406
Bignoniaceae 159, 350
BILLS, GERALD F., Southern Appalachian Russulas. III. The identity of *Russula eccentrica* and *R. morgani* (Russulaceae) 360–365
Biophytum 223
Blepharidachne: bigelovii 410; *kingii* 410
BOISE, JEAN R.—book review of *The Lichen-forming Fungi*, by D. Hawksworth & D. J. Hill 424
Bolivia, Amazonian: *Palicourea* 209, 210
Bonamia 310–316, figs. 311 & 312, key 313; *cymosa* 312; *grandiflora* fig. 311; *mossambicensis* 312; *multicaulis* 310, fig. 312, 313, key 313, 315; *ovalifolia* 310, 313, key 313,

315; **repens** 310–315, figs. 311 & 312, **313**, key 313; *spectabilis* 312; *thunbergiana* 312, fig. 312
Bonnetiaceae 106–108, 354
BOOM, BRIAN M., A new combination in *Palicourea* (Rubiaceae: Psychotrieae) with ethnobotanical notes from Amazonian Bolivia 209–210
———, A new species of *Gleasonia* (Henriquezieae: Rubiaceae) from Brazilian Guayana 317–319
Bouchea 315
Bouteloua 315
Brachyactis 369, 371; *ciliata* 371
Brachycladus: involutus 328; *macrocephalus* 328; *obtusifolius* 328; *pygmaeus* 328
Brachystele 158
Brachytheciaceae 36–40
Brazil: *Acacia* 186–189; *Diandrolyra tatianae* 1–5; *Esterhazya* 195–198; *Fissidens austroamericanus* 355–357; *Gleasonia* 317–319; *Kerianthera* 109–116; *Mimosa* 125–153; *Senna* 192–194
Breweria: multicaulis 313; *ovalifolia* 313
Brickellia: linifolia 406; *oblongifolia* var. *abbreviata* 402, 406, var. *linifolia* 406; *watsonii* 406
Bromeliaceae 233
Bromus tectorum 254
Brosimum: alicastrum 222, 224; *lactescens* 223
BROUILLET, LUC. See Houle & Brouillet 369–372
BROWN, GREGORY K. See Mastrogiuseppe, Gill, Simmons & Brown 252–260
Bryophyte phylogeny 279–285
Bryophytes 236, 279–281, 283, 284, 382, 384, 385
Bryopsida 355–357
Bubonium 210
BUCK, WILLIAM R., A revision of *Schimperella* (Brachytheciaceae) 36–40
Burmanniaceae 232
BURNS-BALOGH, PAMELA, HAROLD ROBINSON & MERCEDES S. FOSTER, The capitate-flowered epiphytic Spiranthinae (Orchidaceae) and a new genus from Paraguay 154–162
Burrielia nivea 406
Bursera simaruba 222, 224
Cacalia 211–218, key to *Cacalioid* genera 212; *birmanica* 328; *cinerea* var. *umbrosa* 328; *divergens* var. *lawii* 328; *hieronymi* 328; *jatrophoides* 213; *peltata* 213; *praecox* 328; *pudica* 214; *scorpiodes* var. *glabriuscula* 328, var. *tomentosa* 328; *sinuata* 214; *suffulta* 215
Cactaceae 315
Caesalpiniaceae 14–16, 192–194; Cassiinae 14–16
Calais nutans var. *latifolia* 406
Calandrinia 56, 57; sect. *Acaules* 56, 57; *acaules* 56; *affinis* 56; *armerifolia* 56; *caespitosa* 56; *colchaguensis* 56; *compacta* 56; *megarhiza* 56, 57; *nevadensis* 407; *occulta* 56; *pirionii* 56; *rupestris* 56
Calea: caracasana var. *glabrior* 328, var. *pilosior* 339; *sillaensis* 329
Calendula officinalis α *aegyptiaca* 329, δ *arvensis* 339, f. *stellata* 339, var. *parviflora* 329, ε *persica* var. *aurantiaca* 329, ζ *sicula* f. *maritima* 329
California: *Madia* 394–396
Calliandra 84; *conferta* 315; *mexicana* 82
Calochortus: eurycarpus 407; *gunnisonii* 407
Calophyllum brasiliense var. *rekoi* 350
Calycophyllum 115
Calycosiphonia: macrochlamys 115; *spathicalyx* 115
Calyptridium roseum 407
Camaridium 44
Camissonia: minor 416; *pterosperma* 417; *pubens* 417; *scapoidea* subsp. *utahensis* 417; *subacaulis* 416
Cannas 233
Capirona 109, 115
Capitate-flowered epiphytic Spiranthinae (Orchidaceae) and a new genus from Paraguay, by Pamela Burns-Balogh, Harold Robinson & Mercedes S. Foster 154–162
Capnorea watsoniana 407
Capsicum 426
Carduus kelseyi 384, 389
Carelia conyzoides γ *pusilla* var. *alba* 329, α *robusta* 329, β *umbrosa* var. *coerulea* 329
Carex 202; Acutae group 202; *athrostachya* var. *minor* 407; *aurea* 407, var. *androgyna* 407; *brunnescens* 407; *canescens* 407, var. *dubia* 407; *douglasii* 407, var. *brunnea* 407, var. *minor* 407; *haydeniana* 407; *lanuginosa* 407; *praegracilis* 407; *rostrata* 407; *utricularia* var. *globosa* 407; *vitilis* f. *brunnea* 407, f. *pallida* 407; *watsonii* 407
CARLQUIST, SHERWIN, Wood and stem anatomy of Misodendraceae: systematic and ecological conclusions 58–75
Carya glabra 363
Caryophyllaceae 344–346
Cassia 15
Cassipourea guianensis 223
Castela 222
Castilleja: exilis 408; *flava* 407, var. *flava* 408; *linoides* 408; *pilosa* 417; *stricta* 408; *viscidula* 408
Caulanthus: hastatus 408; *pilosus* 408
Ceanothus: sorediatus var. *glabra* 408; *velutinus* 408
Centaurium exaltatum 412
Centipeda minima α *glabra* 329, β *villosa* 329
Central America: *Cacalia* 211–218; *Elleanthus* 286–290; *Senecio* 211–218
Ceratocephalus acmella var. *depauperata* 339
Ceratozamia 226–231; *hildae* 229; *kuesteriana* 226–231, figs. 227, 228 & 230, key 229; *matudai* 228, key 229; *mexicana* key 229, var. *mexicana* 228; *microstrobila* 229; *norstogii* 228, key 229; *zaragozae* 228, key 229
Cercocarpus 380; *intricatus* 408; *montanus* 100

Chaenactis: brachypappus 42; *macrantha* 408; *stevioides* var. *brachypappa* 42
Chaenocephalus petrobiodes var. *trichanthus* 329
Chaetanthera sublignosa 329
Chamaecrista 14–16; sect. *Apoucouita* 14–16; **amabilis 14–16, fig. 15, key 16**; *bahiae* 14, 16, key 16; *duartei* 14, 16, key 16; *onusta* 14, 16, key 16
Chamaedorea elegans 230
Chamaesyce 397–399; *celastroides* 397, var. *amplectens* 398, var. **laehiensis** 397, **398**, var. **tomentella 397**, 398; *clusiifolia* 398; *forbesii* 398; *multiformis* 397, 399, var. *haleakalana* 398, var. *kaalana* 397, var. *kapuleiensis* 398, var. *perdita* 397; *rockii* 398, var. **grandifolia** 397, **398**, var. *rockii* 398; *skottsbergii* 398, var. **vaccinioides** 397, **398**; **sparsiflora** 397, **399**
Chantrasia violacea var. *kelseyi* 383, 384
Chapmannia 78, 81–83, key 83
Chara 284
Charophyta 279
Charophytes 283
Chemosystematic studies in the Chrysobalanaceae. I. Flavonoids in *Parinari*, by Lidio Coradin, David E. Giannasi & Ghillean T. Prance 169–178
Chenopodium fremontii 408
Chlidanthus 309
Chlorocrambe hastatus 408
CHOLEWA, ANITA F.—book review of *Common Flowering Plants of the Northeast*, by Donald D. Cox 168
———.—book review of *Flowers of the Himalaya*, by O. Polunin & A. Stainton 381
———.—book review of *Guide to the Standard Floras of the World*, by D. G. Frodin 396
———.—book review of *Inventory of Rare and Endangered Vascular Plants of California*, Third edition, by J. P. Smith, Jr. & R. York 381
———.—book review of *Sonoran Desert Spring*, by John Alcock 242
——— & DOUGLASS M. HENDERSON, Notes and lectotypification of some type specimens of *Sisyrinchium* (Iridaceae) 163–164
Chromolaena 373, 374; *bigelovii* 374; *turbinatum* 374
Chromosome number determinations in *Aster* section *Conyzopsis* (Asteraceae), by Francine Houle & Luc Brouillet 369–372
Chromosome numbers of goldenrods, *Euthamia* and *Solidago* (Compositae: Astereae). II. Additional counts with comments on cytogeography, Erratum, by John C. Semple, Gordon S. Ringius, Colleen Leeder & Gary Morton 121
Chrysactinium 8
Chrysanthemum fruticosum var. *flavidum* 329
Chrysobalanaceae 76, 77, 169–178
Chrysobalanus: icaco 169, 175; *pellocarpus* 169
Chrysomelidae 82
Chrysopsis villosa 387
Chrysothamnus viscidiflorus subsp. *latifolius* 414, subsp. *puberulus* 414, subsp. *viscidiflorus* var. *stenophyllus* 406
Chuquiraga spinosa var. *morenonis* 329
CHURCHILL, STEVEN P. See Mishler & Churchill 282–285
Chusquea 197
Cirsium: eatonii var. *eatonii* 408; *eriocephalum* var. *leiocephalum* 408; *undulatum* 408, var. *albescens* 408
Cladistics 279–285
Cladistics and the land plants: a response to Robinson, by Brent D. Mishler & Steven P. Churchill 282–285
Cladophora glomerata var. *filamentosa* 383
Claytonia umbellata 408
Cleome: integrifolia 386; *sparsiflora* 408
Cleomella: hillmanii 408; *longipes* var. *grandiflora* 408; *plocasperma* 408, 409; *stenosperma* 409
Clethra macrophylla 229
Cnicus portoricensis 329
Coccophacidium salicinum 386
Coleochaete 279
Collomia tenella 409
Colombia: *Hansteinia* 203–208; *Kalbreyeracanthus* 199–202; *Macleania* 179–181
Colubrina johnstonii 224
Columbia University, additional herbarium specimens located 105
Comarostaphylis 378–381; *glaucescens* 378, 380; *lanata* 378, 380; **sharpii 378**–380, fig. 379
Commeliniflorae 232
Comments on the cladistic approach to the phylogeny of the "bryophytes" by Mishler and Churchill, by Harold Robinson 279–281
Compositae: See Asteraceae
CONSTANCE, LINCOLN. See Hartman & Constance 88–95
Convolvulaceae 310–316
Conyza: anamitica 329; *cordata* 329; *stricta* γ *paucidentata* 329, α *pinnatifida* 339, β *serrata* 329; *viscidula* β *serratifolia* 329, α *subintegerrima* 330
CORADIN, LIDIO, DAVID E. GIANNASI & GHILLEAN T. PRANCE, Chemosystematic studies in the Chrysobalanaceae. I. Flavonoids in *Parinari* 169–178
Cordia parvifolia 315
Cordylanthus kingii 409
Corymbium nervosum β *latum* 330
Costa Rica: *Maxillaria* 44
Cotula radiata 339
Couepia 169, 174, 175; *panamensis* 76
Cowan, Richard S., Dedication to 341–343
COWAN, RICHARD S., Studies in tropical American Leguminosae—IX 291–304
Crassina peruviana var. *flava* 330
Crassocephalum: aurantiacum var. *chrysanthum* 330; *densifolium* var. *atropurpureum* 330; *pseudochina* var. *ovale* 330
Crassulaceae 278
Crepis: acuminata 386; *atribarba* 409; *occidentalis* var. *costata* 409, var. *gracilis* 409
Cressa 310, 311, 313, key 313

Crinum 309
Critonia 373, 377
CRONQUIST, ARTHUR—book review of *The Families of the Monocotyledons*, by R. M. T. Dahlgren, H. T. Clifford & P. F. Yeo 231–233
———, *Eupatorium godfreyanum* (Asteraceae), a "new" species from eastern United States 237–242
Cruckshanksia 115
Cryptantha: fulvocanescens 411; *torreyana* 414; *watsonii* 414
Cryptanthe kelseyana 384
Cryptanthus 34
Cryptochloa 22, 23, 27, 29, 31, 32; *capillata* key 27; *concinna* key 29; **decumbens** 22, key 27, **29**, figs. 29 & 31, 32; *dressleri* key 27; *granulifera* key 27; *strictiflora* key 27; *unispiculata* key 27; *variana* key 29
Cucurbitaria kelseyi 384, 386
Cyathea 235
Cyatheaceae 235
Cycads 226–231
Cyclanthaceae 232
Cylindrosporium phaceliae 386
Cymopterus 88–95, 102–105; *bipinnatus* 104; **davisii 102**–105, fig. 103, key 104; *deserticola* 94, 104; **douglassii 88**–91, fig. 89, 93, 94, key 94; *globosus* 409; *hendersonii* 94; *humboldtensis* 94, 104; *ibapensis* 406; *jonesii* 104; *lemmonii* 94; *longipes* 94, 104, 409; *megacephalus* 94; *montanus* var. *globosus* 409; *newberryi* 94, 104; *nivalis* 90, 94, keys 94 & 104, 102, 104, 409; *panamintensis* 104; *ripleyi* 94; **williamsii** 88, **91**–94, fig. 92, key 94
Cyperaceae 202, 232, 381
Cyperales 232
Cystium: macrolobum 409; *vulpinum* 409
Cytotaxonomy: *Lomatium tuberosum* 252–260
Dahlia coccinea 173
Dalea: johnsonii 409; *kingii* 401, 409; *polydenia* 402, 409; *searlsiae* 42
DANLEY, DAVID M., A new *Penstemon* (Scrophulariaceae) from northwestern Nevada 321–324
Dasylirion 315
Dasyphyllum: subg. *Dasyphyllum* 6; sect. *Microcephala* 6; *argenteum* 6; **brevispinum 6**–8, fig. 7; *cabrerae* 8; *weberbaueri* 8
Dasypogonaceae 232
Decazyx esparzae 223
Dedication to Richard S. Cowan 341–343
Deguelia 178
DEHGAN, BIJAN. See Meerow & Dehgan 47–55
Delphinium: elatum var. *occidentale* 409; *menziesii* var. *utahense* 409; *nuttallianum* 254, var. *nuttallianum* 409; *occidentale* 409
Derris 178
Desonycha horni 82
Dialictus 82
Dialium guianense 222, 350
Diandrolyra 1–5, 22; *bicolor* 1; **tatianae** 1, **2**–5, fig. 3
Diandrolyra tatianae (Poaceae: Olyreae), a new herbaceous bamboo from Brazil, by Thomas R. Soderstrom & Fernando O. Zuloaga 1–5
Diatoms 202
Dichondra argentea 310
Dictyandra arborescens 115
Dicymbe: duidae 291; **paruensis 291**, 292; *uaiparuensis* 292
DIGGS, GEORGE M., JR. See Dorr & Diggs 378–381
Digitacalia key 212, 213; *jatrophoides* 213
DILLON, MICHAEL O. See Segástegui-Alva & Dillon 6–13
Dinoseris salicifolia β araneosa 339
Dioscoreales 231
Discula runcinata 386
Disporum trachycarpum 420
Distichlis maritima 387
Distribution maps: *Echinodorus amphibius & eglandulosus* 20; *Elleanthus: lentii, stolonifer & tillandsioides* 287; *Eucrosia brachyandra & dodsonii* 52; *Lomatium: columbianum, cuspidatum, minus & tuberosum* 255; *Pachecoa prismatica* 81; *Penstemon pinorum* 100; *Recchia simplicifolia* 224; *Zannichellia andina* 20
Dodecatheon: pulchellum subsp. *watsonii* 410; *watsonii* 410
DORR, LAURENCE J. & GEORGE M. DIGGS, JR., A new species of *Comarostaphylis* (Ericaceae, Arbuteae) from Tamaulipas, Mexico 378–381
Dorstenia 4
Dothidea: bigeloviae 386; *montaniensis* 386
Dresslerothamnus key 212, 214; *angustiradiatus* 214
Dyschoriste 358, 359; *ovata* 358; *pringlei* 358; **rubiginosa 358**, 359
Eatonella nivea 406
Echinocactus: johnsonii 402, 410; *simpsonii* var. *robustior* 410
Echinodorus: sect. *Intermedii* 17; *amphibius* 17, fig. 18, map 20; **eglandulosus 17**, fig. 18, map 20
Echinospermum redowskii var. *cupulatum* 410, var. *occidentale* 410
Ecuador: Alismataceae 17–21; *Habracanthus* 243–251; *Hansteinia* 203–208
Edwinia macrocalyx 410
Ekmanochloa 22
Elaeagia uxpanapensis 223
Elaphoglossaceae 261–278
Elaphoglossum 235, 261–278, key to the proliferous spp. 264; sect. *Lepidoglossa* 261; sect. *Setosa* 261; sect. *Undulata* 261; subsect. *Setosa* 261; *boryanum* 261, 262, 264, 272, 276, 278, var. *boryanum* figs. 262 & 269, 264, 266, 270, 276, 277, var. **eutecnum** 261, key 264, fig. 265, **266**, 274, 275; **cardioglossum** 261, **266**, fig. 267, 268, 273, 274; *didymoglossoides* 261, 263, fig. 263, key 264, 268, 271, 273; **entecnum** 261, 262, fig. 263, key 264, **268**, 270, 271; **exsertipes** 261, 262, figs. 263 & 267, key 264, **270**, 272, 273, 275; **herpestes** 261, 262, figs. 263 & 269, **270**, 272; *hirtum* 261, 262, figs. 262 & 265, key 264, 266, 272; **in-**

ciens 261, key 264, fig. 267, **272**, 273; *isophyllum* 261, 270; *lloydii* 264; **nanoglossum** 261, fig. 262, key 264, 271, **273**; *oblanceolatum* 270; **omissum** 261, 263, figs. 263 & 269, **273**, 274, 277; *paleaceum* 272; *pascoense* 261, 268, 273, 274; **phoras** 261–266, figs. 263 & 265, key 264, **274**, 275; **phyllitidis** 261, 262, figs. 263 & 267, key 264, 273, **275**; *plumosum* 261, f. **maternum** 261, key 264, fig. 271, **275**, f. *plumosum* fig. 262, 275; *proliferans* 261, 263, fig. 263, key 264, 271, 276; **pseudoboryanum** 261, figs. 262 & 269, 263, 273, 274, **276**, 277; **rufum** 261, 262, figs. 262 & 265, key 264, **277**; *setosum* 261, 273; *squamosum* var. *chrysolepis* f. *viviparum* 276; *undulatum* 272; **wardiae** 261, 262, figs. 262 & 265, key 264, **277**, 278

Elephantopus: scaber α *carolinianus* var. *albiflorus* 330, var. *coeruleus* 330, β *nudicaulis* var. *albiflorus* 330, var. *coeruleus* 339; *spicatus* α *densiflorus* var. *lilacinus* 339, β *laxiflorus* var. *flavidus* 339

ELISENS, WAYNE J., The Montana collections of Francis Duncan Kelsey 382–391

Elleanthus 286–290; sect. *Cephalelyna* 287; sect. *Chloidelyna* 286, 288, 290; sect. *Stachydelyna* 286, 287; *caravata* 287; *caricoides* 286, 287; *graminifolius* 288, 290; **lentii 286**, 287, map 287; *lepidus* 287; *poiformis* 286, 290; **stolonifer** 286, **287**, map 287, 288, fig. 288; **tillandsioides** 286–290, map 287, **288**, fig. 289

Elymus condensatus 387

Emilia 211

Emmenanthe: glaberrima 410; *glandulifera* 410; *pusilla* 410

Encelia hirsuta 330

Enceliopsis argophyllus 422

Entada 85

Entoloma 363

Entolomataceae 182–185

Eperua 293; *glabra* 293, 294; **praesagata** 291, fig. 292, **293**, 294; *rubiginosa* 293

Ephedra: antisyphilitica var. *pedunculata* 410; *nevadensis* 410

Erechtites (*Erechthites*) 211; *hieracifolia* α *glabrescens* 330

Eremanthus mattogrossensis 330

Eremitis 22

Eremochloa: bigelovii 410; *kingii* 410

Ericaceae 179–181, 378–381; Arbuteae 378–381; Thibaudieae 179; Vaccinieae 179

Erigeron: arenarioides 411; *argentatus* 411; *asperugineus* 405; *concinnus* var. *condensatus* 411; *eatonii* 411; *glaucifolium* 330; *linifolium* α *pallidum* 339, β *rubropapposum* 339; *pumilus* subsp. *concinnoides* var. *condensatus* 411; *stenophyllus* 411; *tunariense* 330; *ursinus* 411; *watsonii* 405

Erigonum: brevicaule var. *laxifolium* 411; *cernuum* var. *cernuum* 411, var. *tenue* 411; *hookeri* 411; *kingii* 411, var. *laxifolium* 411; *libertini* 394; *niveum* 254; *porteri* 411; *pusillum* 411; *umbellatum* var. *porteri* 411

Eriogynia: sect. *Kelseya* 384; *uniflora* 389

Eriophyllum: lanatum var. *integrifolium* 411; *watsonii* 411

Eritrichium: californicum var. *subglochidiatum* 411; *glomeratum* var. *fulvocanescens* 411; *kingii* 411

Erysimum: asperum var. *inconspicuum* 412; *inconspicuum* 412

Erythraea nuttallii 412

Erythrochiton lindenii 223

Eschscholzia minutiflora 412

Eschweilera 347–351; *hondurensis* 347, 350; **mexicana 347–351**, figs. 348 & 349

Eschweilera mexicana (Lecythidaceae): A new family for the flora of Mexico, by Tom Wendt, Scott A. Mori & Ghillean T. Prance 347–351

Esterhazya 195–198; **eitenorum** 195, **197**; *macrodonta* 195; *nervosa* 195; **petiolata 195**, 196, fig. 196; *splendida* 195, 197, var. *latifolia* 196, *longifolia* 197

Eucrosia 47–55, 305–309; *aurantiaca* fig. 49, 52; *bicolor* fig. 49, 52; **brachyandra** 47, 49, figs. 49, 50 & 53, map 52, **54**; **dodsonii 47–52**, figs. 48–51, map 52, 54, 305; *eucrosioides* 52, 54; *peruviana* 305, 307, 309; **tubiflora 305**, fig. 306

Eupatoriastrum 373

Eupatorium 237–242, 373–377; *album* 237, 240, key 240, var. *album* key 241, var. *subvenosum* key 241, var. *vaseyi* 237, key 241; *amygdalium* α *subglabrum* var. *heterophyllum* 330, var. *serratum* 330; *bigelovii* 373; *carnosum* 330; *costaricense* 330; **godfreyanum** 237, **238–242**, fig. 239, key 241; *hoffmannii* 330; *laevigatum* f. *albiflorum* 330, f. *flavidum* 331, f. *lilacinum* 331; *microstemon* α *albiflorum* 331, β *lilacinum* 331; *miradorense* 377; *odoratum* f. *scandens* 331; *perfoliatum* 241; *pilosum* 238, 240, key 241; *pubescens* 240; *rotundifolium* 237, 238, 240, key 241, var. *cordigerum* key 241, var. *ovatum* 240, key 241, var. *rotundifolium* 238, 240, key 241, var. *saundersii* 238; *sessilifolium* 237, 238, 240, key 241, var. *brittonianum* 237, var. *vaseyi* 237; *sordidum* 377; **tamaulipanum** 373, **374–376**, fig. 375; *turbinatum* 373; *vaseyi* 237, 238; *verbenaefolium* 238; **xalapanum** 373–**376**, fig. 376, 377

Eupatorium godfreyanum (Asteraceae), a "new" species from eastern United States, by Arthur Cronquist 237–242

Euphorbia 315, 397; sect. *Tithymalus* 412; *brachycera* 412; *celastroides* var. *laehiensis* 398; *clusiifolia* var. *grandifolia* 398; *dictyosperma* 388; *graminea* 82; *multiformis* var. *haleakalana* 398, var. *kaalana* 397, var. *kapuleiensis* 398, var. *perdita* 397, var. *tomentella* 397; *robusta* var. *interioris* 412; *skottsbergii* var. *vaccinioides* 398; *sparsiflora* 399

Euphorbiaceae 198, 397–399

Eurotia lanata 386

Euryptera 258, 259

Eurystyles 154, 155, 157, fig. 157, 158, 160, 161; sect. *Pseudoeurystyles* 161; *actinosophila* 160; *alticola* 160; *ananassocomos* 160; *auriculata* 154, 160; *borealis* 155, 160; *cogniauxii*

155, 161; *colombiana* 160; *cotyledon* 158, 160; *cristata* 161; *domingensis* 161; *gardneri* 161; *guentherana* 161; *lorenzii* 155, 161; *paranaensis* 161; *standleyi* 161
Eustephia 309
Euthamia 121
Evolvulus 311, 313, key 313; *ovalifolius* 313
Exellodendron 169, 175
Fabaceae (see also Leguminosae) 78–84, 424; Mimosoideae 424, 425; Aeschynomeneae 82; Stylosanthinae 82, 83, key 83
Fagus grandifolia 363
Fanny Searls (1851–1939), by Arnold Tiehm 41–43
Ferns 4, 235, 382, 384, 385
Filicales 235
Fimbristylis: spadicea 412; *thermalis* 412
Fissidens 355–357; **austro-americanus 355–357**, fig. 356; *brevipes* 355, 356; *leptophyllus* 355, 357; *ramicola* 355, 356
Fissidens austro-americanus (Bryopsida: Fissidentaceae), a new species from Brazil and Suriname, by Ronald A. Pursell & William D. Reese 355–357
Fissidentaceae 355–357
Flaveria bidentis β angustifolia 331
Flavonoids: *Parinari* 169–178
Floerkea: occidentalis 412; *proserpinacoides* 412
Florida: *Sabal* 366–368
Flourensia 315
FOSTER, MERCEDES S. See Burns-Balogh, Robinson & Foster 154–162
Fouquieria splendens 315
Four new species of Asteraceae from Peru, by Abundio Sagástegui-Alva & Michael O. Dillon 6–13
Fragaria virginiana 412, var. *glauca* 412
Frasera albomarginata 412
Fraxinus: anomala 402, 412; *greggii* 315
Froesiochloa 22
Fungi 382–388, 424
Gaillardia megapotamica δ radiata f. *bicolor* 331, f. *biflava* 331, var. (γ) *scabiosodes* f. *flava* 331, f. *fuscorubra* 331
Galium: aparine 254; *bifolium* 412; *multiflorum* var. *multiflorum* 412, var. *watsonii* 412
Genistidium 315
Genus *Mimosa* (Mimosaceae) in Bahia, Brazil: new taxa and nomenclatural adjustments, by Rupert C. Barneby 125–153
Geranium carolinianum var. *longipes* 412
Gerardia 195
Gerbera: incana β intermedia 331, γ *reptans* f. *aurantiaca* 331, f. *pallida* 331; *pulvinata* 331
GIANNASI, DAVID E. See Coradin, Giannasi & Prance 169–178
Gilia: campanulata 412; *leptomeria* 412; *micromeria* 412; *tenerrima* 412; *watsonii* 413
GILL, STEVEN J. See Mastrogiuseppe, Gill, Simmons & Brown 252–260
Gingers 233
Gleasonia 317–320; *duidana* 317, 318; **prancei 317**, 318, fig. 318, 320
Gleditsia triacanthos 426
Glehnia 104
Gleicheniaceae 235
Glyptopleura marginata 413
Gnaphalium: adenocarpum β villosum 331; *capitellatum* var. *humilis* 331; *cheiranthifolium α typicum* 1. *citrinum* 331; *maximum* 331; *plantaginifolium* var. *parvifolium* 339; *roseum* var. *stamineum* 331; *saturejodes β vargasianum* var. *citrinum* 331, var. *flavescens* 331; *setosum* var. *hoffmannii* 339; *tunariense* 332; *umbraculigerum β aequilatum* 332, *α heterophyllum* 332, f. *pubescens* 339, f. *subtomentosum* 332
Gochnatia glutinosa β media 332, γ *puberula* 339, *α viscosissima* 332
Goldenrods 121
Gonospermum canariense α medium var. *millefoliatum* 339, *β multiflorum* var. *millefoliatum* 332
Gradle, Fanny G. fig. 42
Gramineae: See Poaceae
Grangea maderaspatana var. *hirsuta* 332, var. *pilosa* 332
Grasses 22–35
Greene, Stanley W. fig. 343
Greuter, Werner fig. 343
Grias: cauliflora 350; *fendleri* 350; *integrifolia* 350
GRIMES, JAMES W. & RUPERT C. BARNEBY, A new *Acacia* (Mimosaceae) from tropical southeast Brazil 186–189
Grindelia: pulchella β serratifolia 332, γ *sublinearis* 332; *volkensii α angustifolia* 332, *β latifolia* 332
Guatteria anomala 223
GUNN, CHARLES R. See Norman & Gunn 78–84
Gutierrezia hoffmannii 332
Gynoxys (*Gynoxis*) 11, 13; *carpishensis* 11; **congestiflora 6, 8**, 10, fig. 10, 11; *hoffmannii* 332; *rimachiana* 11
Habracanthus 202, 243–251, key to Ecuadorian spp. 243; *aglaiis* key 243; **asplundii** 243, key 243, figs. 246 & 248, **249**, 250; *floriferus* 247; *lamprus* 251; **laxus** 243, key 243, figs. 244 & 245, **247–249**; **lugonis** 243, key 243, figs. 246 & 249, **250**, 251; **luteynii 243**, key 243, figs. 244 & 245, 245, 247; *sanguineus* key 243, 249
Halictidae 82
HALLING, ROY E.—book review of *Introduction to Modern Mycology*, Second edition, by J. W. Deacon 191
———.—book review of *Plant Pathology and Plant Pathogens*, Second edition, by C. H. Dickinson & J. A. Lucas 242
——— & TIMOTHY J. BARONI, *Rhodocybe pulchrisperma* (Entolomataceae): A new species from North America 182–185
Halostachys occidentalis 413
Hansteinia 202–208, fig. 207; *charitopes* 203–205, 208; *gracilis* 203; **jamesonii 203–205**, figs. 204 & 207; **magdalenensis** 203, **204–208**, figs. 206 & 207, var. **magdalenensis** fig. 206, **207**,

key 207, 208, var. **pilosa** 203, fig. 206, key 207, **208**
Haplopappus 165–168; sect. *Asiris* 165, 166; sect. *Blepharodon* 166; sect. *Stenotus* 167; sect. *Tonestus* 165, 167; *aberrans* 167; *alpinus* 165, 167; *eximius* 165, 167; **graniticus 165–167**, fig. 166; *lanceolatus* subsp. *tenuicaulis* 413, var. *vaseyi* 402, 413; *lyallii* 167; *nuttallii* 166; *peirsonii* 167; *pygmaeus* 167; *tenuicaulis* 413; *watsonii* 413
Harbouria 104
HARTMAN, RONALD L., A new species of *Cymopterus* (Umbelliferae) from southern Idaho 102–105
——— & LINCOLN CONSTANCE, Two new species of *Cymopterus* (Umbelliferae) from western North America 88–95
Hawaii: *Chamaesyce* 397–399
HAYNES, ROBERT R., A new species of *Najas* (Najadaceae) from the southeastern U.S.A. 392–393
———. See Holm-Nielsen & Haynes 17–21
Hebeclinium 374
Hechtia 315
Hedysarum 78; *flavescens* 389; *prismaticum* 78
Helianthella: multicaulis 413; *uniflora* 413
Helianthus: atrorubens var. *pubescens* 332; *divaricatus* α *angustifolius* 332, var. *latifolius* 332; *giganteus* var. *utahensis* 413; *nuttallii* 413
Helichrysum: amplum 332; *athrixiifolium* 332; *kuntzei* 332; *mixtum* 333; *plantaginifolium* 333; *pulvinatum* 333; *thapsus* 333
Helietta parviflora 315
HENDERSON, DOUGLASS M. See Cholewa & Henderson 163–164
Henriquezia 320
Hepatics 281
Hermidium alipes 413
Hertia: kuntzei 333; *natalensis* 339
Hesperochiron californicus 407
Heterosperma pinnatum γ *biternatum* 333
Heterosporium hybridum 386
Heuchera cylindrica var. *alpina* 413
Hieraciodes japonicum α *thunbergianum* var. *gracile* 340
Hieronymiella 309
Hirtella 169, 175
HOLMGREN, NOEL H.—book review of *Flora of Tierra del Fuego*, by David M. Moore 108
HOLM-NIELSEN, LAURITZ B. & ROBERT R. HAYNES, Two new Alismatidae from Ecuador and Peru (Alismataceae and Zannichelliaceae) 17–21
Holocantha 222, 223
Homalobus strigulosus 413
Homostegia kelseyi 384, 386
Hornworts 279, 283
HOULE, FRANCINE & LUC BROUILLET, Chromosome number determinations in *Aster* section *Conyzopsis* (Asteraceae) 369–372
Hydastylus: borealis 163; *brachypus* 163
Hydrophyllaceae 400
Hydrophyllum: capitatum var. *alpinum* 413; *occidentale* 413, var. *watsonii* 413
Hygrophila 358; *guianensis* 358; *pringlei* 358
Hymenaea 173; *courbaril* 173
Hymenophyllaceae 235
Hymenoxys cooperi var. *canescens* 403
Hypochaeris: brasiliensis β *albiflora* 333, α *sulfurea* 333; *philippii* var. *glabrescens* 333; *stenocephala* α *integrifolia* 340
Hypospila cordiana 383
Idaho: *Cymopterus* 102–105
Identity and synonymy of *Acacia guilandinae, Mimosa obovata, M. pseudo-obovata,* and *M. laticifera* (Mimosaceae), by Rupert C. Barneby 85–87
Infrageneric groups in *Senecio*, s.l., and *Cacalia*, s.l. (Asteraceae: Senecioneae) in Mexico and Central America, by Theodore M. Barkley 211–218
Inga 425
Insecta 283
Instructions to contributors 122–124
Iridaceae 163, 164
Irvingia 223
IRWIN, HOWARD S. & RUPERT C. BARNEBY, A new arborescent *Chamaecrista* (Caesalpiniaceae: Cassiinae) 14–16
——— & ———, A new species of *Senna* (Caesalpiniaceae) from coastal northern Bahia, Brazil 192–194
Isertia 115; *coccinea* 115; *hypoleuca* 115; *longifolia* 115; *reticulata* 115; *rosea* 115; *spiciformis* 115; *verrucosa* 115
Isostigma hoffmannii 333
Isothecium 36, 40; **nervosum** 36, **40**
Iva: annua 426; *axillaris* β *brevifolia* 340, γ *linearifolia* 340
Ivesia: baileyi 413, var. *setosa* 413; *kingii* 414; *setosa* 413
Jacqueshuberia: **loretensis** 291, **294**; *quinquangulata* 294
Jamesia americana 410
Jatropha dioica 315
Juncaceae 233
Jungia: polita α *glabra* 333, γ *tomentosa* 333; *pubescens* α *boliviensis* 333
Juniperus osteosperma 100
Kalbreyeracanthus 199–202; *atropurpureus* 199, 201, 202; **kirkbridei 199–202**, figs. 200 & 201
Kalbreyeracanthus kirkbridei (Acanthaceae), a new species from Colombia, by Dieter C. Wasshausen 199–202
KELLEY, WALTER A. & JOHN R. SWANSON, *Oreobroma megarhizum* is a *Calandrinia* of section *Acaules* (Portulacaceae) 56–57
Kelseya 384
Kelsey, Francis Duncan 382–391
Kerianthera 109–116; **preclara 109–115**, figs. 110–113
Keys: *Arberella* 23; Asteraceae *Cacalioid & Senecionoid* genera 212; *Bonamia: multicaulis, ovalifolia & repens* 313; *Ceratozamia: kuesteriana, matudai, mexicana, norstogii & za-*

ragozae 229; *Chamaecrista: amabilis* 16, *bahiae* 16, *duartei* 16, *onusta* 16; *Cressa* 313; *Cryptochloa* 27, 29; *Cymopterus: davisii* 104, *douglassii* 94, *nivalis* 94, 104, *williamsii* 94; *Elaphoglossum* proliferous spp. 264; *Eupatorium: album* vars., *godfreyanum, pilosum, rotundifolium* vars. & *sessilifolium* 240–241; *Evolvulus* 313; *Habracanthus: aglaiis, asplundii, laxus, lugonis, luteynii, sanguineus* 243; *Hansteinia magdalenensis* vars. 207; *Lomatium: columbianum, cuspidatum, dissectum, minus* & *tuberosum* 258; *Maranthes: corymbosa* 76, *glabra* 77, *panamensis* 77; *Mimosa: ceratonia* vars. 85, 86, 139, *gemmulata* vars. 132, *guilandinae* 85, 86, *obovata* 85, *rufescens* 86; *Misodendron* spp. 72; *Penstemon: atwoodii* 101, *concinnus* 101, *grahamii* 101, *ophianthus* 101, *pinorum* 101; *Raddia* 32; *Rhodocybe* large-spored spp. 185; *Schimperella* 37; *Stylisma* 313; Stylosanthinae (*Arachis, Arthrocarpum, Chapmannia, Pachecoa, Stylosanthes*) 83

King, Clarence, exploration of the fortieth parallel 400–424

KIRKBRIDE, JOSEPH H., JR., Manipulus Rubiacearum IV. *Kerianthera* (Rubiaceae), a new genus from Amazonian Brazil 109–116

Koanophyllon 373, 374

Kochia americana 414, var. *vestita* 414

KOUTNIK, DARYL L., New combinations in Hawaiian *Chamaesyce* (Euphorbiaceae) 397–399

Krynitzkia: torreyana var. *calycosa* 414; *watsonii* 414

Kuntze, Otto 325–340

Laccaria 363

Lactarius 363

Lactuca: canadensis var. *angustifolia* 340, var. *latifolia* 340; *squarrosa* var. *laciniata* 340; *versicolor* var. *lanceolata* 333, var. *pinnatifida* 340, var. *serratodentata* 333

Laggera alata β *albida* 333, γ *flavida* 333, α *purpurascens* 333

Lankesterella 155

Lappula redowskii var. *cupulata* 410, var. *redowskii* 410

Larrea tridentata 315

Lasiorhiza: glomerulata 333; *leontopodiodes* 333; *rosea* var. *albiflora* 334, var. *andryalodes* f. *tomentosior* 334

Lathyrus: coriaceus 414; *lanszwertii* var. *lanszwertii* 414

Lecythidaceae 347–351

Ledenbergia macrantha 80

LEEDER, COLLEEN. See Semple, Ringius, Leeder & Morton 121

Legumes 198

Leguminosae (see also Caesalpiniaceae; Fabaceae; Mimosaceae) 169, 170, 178, 291–304, 357, 424; Papilionoideae 178; Millettieae 178; Tephrosieae 178

LELONG, MICHEL G., New combinations for *Panicum* subgenus *Panicum* and subgenus *Dichanthelium* (Poaceae) of the Southeastern United States, Erratum 164

Lemnaceae 232

Leontonyx: pumilio 340; *ramosissimus* 334

Leperiza eucrosioides 47, 51, 52, 54, 55

Lepidium: flavum 422; *fremontii* 414; *montanum* var. *alpinum* 414; *nanum* 414

Lepidophyllum teretiusculum 334

Leptactina involucrata 115

Leptodactylon watsonii 413

Leptosphaeria borealis 387

Lesquerella kingii 423

Leucaena 315

Leucocrinum montanum 414, var. *major* 414

Leucophyllum 315

Leucopoa kingii 419

Lewisia 56, 57; *brachycalyx* 56; *cantelowii* 56; *columbiana* 56; *cotyledon* 56; *disepala* 56; *kelloggii* 56; *leana* 56; *nevadensis* 56, 407; *pygmaea* 56; *rediviva* 56; *triphylla* 56; *tweedyi* 56

Liabum: fulvotomentosum 334; *glandulosum* 334; *hirtum* 334; *pinnulosum* 334

Licania 174, 175; *hypoleuca* 223, 350; *rigida* 169, 175

Lichens 424

Ligusticum filicinum 414

Lilaeopsis 202

Liliales 232

Liliiflorae 232

Linosyris viscidiflora var. *latifolia* 414, var. *puberula* 414

Linum kingii 414

Lippia umbellata 230

Liquidambar styraciflua 229

Lithachne 22, 27

Lithospermum montana 389

Liverworts 279, 283

Lomatium 104, 252–260, fig. 259; group *Euryptera* 258, 259; *bicolor* 418; *canbyi* 254; *columbianum* 252, 254–260, map 255, fig. 258, key 258; *cuspidatum* 252, 254–256, map 255, fig. 258, key 258, 259–260; *dissectum* key 258; *grayi* 418; *greenmanii* 90; *howellii* 258, fig. 258; *humile* 258, fig. 258; *insulare* 258, fig. 258; *lucidum* 258, fig. 258; *macrocarpum* 254; *minus* 252, 254–260, map 255, fig. 258, key 258; *nevadense* 418; *nudicaule* 254; *nuttallii* 418; *parvifolium* 258, fig. 258; *repostum* 258, fig. 258, key 258, 258–260; *dissectum* key 258; *tuberosum* 252–260, figs. 253 & 258, map 255, key 258; *watsonii* 258, fig. 258

Lonchocarpus 178

Lonicera utahensis 414

Loranthaceae 58, 59, 73, 74

LOTT, EMILY J. See Wendt & Lott 219–225

Lupinus 426; *andersonii* 414; *argenteus* 415; *aridus* var. *utahensis* 414; *brevicaulis* 415; *confertus* 415; *holosericeus* var. *utahensis* 415; *kingii* 415; *lepidus* var. *utahensis* 414; *meionanthus* var. *heteranthus* 400, 415; *spathulatus* 415; *torreyi* 402, 415; *uncialis* 415

LUTEYN, JAMES L., A remarkable new *Macleania* (Ericaceae) from Colombia 179–181
Lychnis: kingii 415; *nuda* 415
Lygodesmia: dianthopsis 415; *juncea* var. *dianthopsis* 415
Lyonophyton 280
Machaeranthera 166; *grindelioides* 166; *kingii* 405
Macleania 179–181; **penduliflora 179–181**, fig. 180
Maclurolyra 22
Macrolobium 300; sect. *Stenosolen* 298; *colombianum* 298, var. *monagasense* 298; *costaricense* 298; **defloccatum** 291, **294–296**, fig. 295; *discolor* 300; **hartshornii** 291, **296**, fig. 297, 298; *longipes* 300; *microcalyx* 296; *montanum* 296; *multijugum* 300; **schinifolium** 291, **298–300**, fig. 299
Macrorrhynchus (*Macrorhynchus*) *glaucus* var. *laciniatus* 415
Macrosporium puccinioides 387
Madia 394–396; sect. *Anisocarpus* 394–396; **doris-nilesiae 394–396**, fig. 395; *elegans* 396, subsp. *vernalis* 394, 396; *hallii* 394; *nutans* 394; *rammii* 394; *stebbinsii* 394; *yosemitana* 394
Magnistipula 175
Magnoliidae 231
Magnoliiflorae 231
Mahonia fremontii 100
Malacothrix: californica var. *glabrata* 402, 415; *glabrata* 415
Malvaviscus arboreus 229
Manipulus Rubiacearum IV. *Kerianthera* (Rubiaceae), a new genus from Amazonian Brazil, by Joseph H. Kirkbride, Jr. 109–116
MANTE, SETH—book review of *Handbook of Plant Cell Culture. Volume 1*, edited by D. A. Evans, W. R. Sharp, P. V. Ammirato & Y. Yamada 21
———.—book review of *Handbook of Plant Cell Culture. Volume 2*, edited by W. R. Sharp, D. A. Evans, P. V. Ammirato & Y. Yamada 198
Marantaceae 34
Maranthes 76, 77, 175; *corymbosa* 76, key 76; *glabra* 76, key 77; **panamensis 76**, key 77
Marila 106–108; *florenciana* 107; *geminata* 107, 108; *grandiflora* 107; *micrantha* 107, 108; **spiciformis 106–108**, fig. 107, 354
Marila spiciformis (Bonnetiaceae), a new species from Peru, by Will McDearman & Sidney McDaniel 106–108, Erratum 354
Maripa 313
MASTROGIUSEPPE, JOY D., STEVEN J. GILL, KAREN S. SIMMONS & GREGORY K. BROWN, Morphologic and cytotaxonomic evaluation of *Lomatium tuberosum* (Apiaceae) 252–260
Maxillaria 44–46; *brunescens* 44; *camaridii* 44, 45; *fulgens* 44; *reichenheimiana* 44; **suaveolens 44–46**, fig. 45; *valenzuelana* 44; *wercklei* 44
MCDANIEL, SIDNEY. See McDearman & McDaniel 106–108, 354
MCDEARMAN, WILL & SIDNEY MCDANIEL, *Marila spiciformis* (Bonnetiaceae), a new species from Peru 106–108, Erratum 354
MEEROW, ALAN W., A new species of *Eucrosia* and a new name in *Stenomesson* (Amaryllidaceae) 305–309
——— & BIJAN DEHGAN, A new species and a new combination in the genus *Eucrosia* (Amaryllidaceae) 47–55
Meliosma alba 229
Melissodes bimaculata 82
Mentzelia: albicaulis var. *integrifolia* 415; *dispersa* 415
Merremia 313
Mertensia: brevistyla 415; *cusickii* 416; *paniculata* var. *nivalis* 415; *toyabensis* 416; *viridis* 416
Meteoriaceae 159
Mexico: *Cacalia* 211–218; *Ceratozamia kuesteriana* 226–231; *Comarostaphylis* 378–381; *Eupatorium* 373–377; Lecythidaceae 347–351; *Recchia* 219–225; *Senecio* 211–218, sect. *Palmatinervii* 117–120; *Verbesina* 96, 97
MICKEL, JOHN T., The proliferous species of *Elaphoglossum* (Elaphoglossaceae) and their relatives 261–278
Miconia 189
Microseris nutans 406
Microthamnium nervosum 40
Millettia 178
Mimosa 85–87, 125–153, 425; sect. *Habbasia* 85, 126, 128–130, 133, 135, 136, 139, 141, 143–145, 147, 149, 150; sect. *Mimosa* 152, 153; ser. *Asperatae* 141, 143; ser. *Glanduliferae* 85, 126, 127; ser. *Hirsutae* 152; ser. *Lepidotae* 129; ser. *Leptopodae* 125, 145, 147–150, 152; ser. *Leptostachyae* 125, 128–130, 133; ser. *Meticulosae* 152; ser. *Modestae* 153; ser. *Pachycarpae* 145; ser. *Rubicaules* 135, 136, 139; ser. *Sensitivae* 153; ser. *Somniantes* 143, 144; *acutistipula* 133, 135; *adenocarpa* var. *subinermis* 147; *adenophylla* 129–131, 133, var. *adenophylla* 130, var. **armandiana 129**, 130, var. **mitis 130**; *aspera* 425; *asperata* 425; *barbigera* 152, var. *barbigera* 152, var. *erecta* 152; *bimucronata* 135–137; *bracaatinga* 425; *brevipinna* 147, 148; *campicola* 150, var. *campicola* 148, var. **planipes** fig. 146, **148**, 149; **carvalhoi 139–141**, fig. 140; *ceratonia* 85, 86, 139, 141, var. *ceratonia* keys 86 & 139, var. **interior** fig. 138, **139**, key 139, 141, var. **pseudo-obovata** 85, **86**, keys 85, 86 & 139, fig. 138, 139, 140; *cinerascens* 129; **coruscocaesia 128**, fig. 128, 129; *cylindrica* 129; *eurycarpa* 425; **exalbescens** fig. 131, **135**, 136; *extensa* 127; *filipes* 149, 150, 152; *foliolosa* 145, var. *foliolosa* 145, var. **peregrina 145**; **gemmulata** 128–132, **130**, var. **adamantina** 130, fig. 131, **132**, key 132, 133, var. **gemmulata** fig. 131, **132**, key 132; **glaucula 143**, 144; *gracilis* 145; **guilandinae 85**, 86, keys 85 & 86; *hexandra* 135, 136; *hirsutissima* var. **barbigera 152**, var. **grossa 152**, var. *hirsutissima* 152; **irrigua 126–128**, fig. 127; *laticifera*

85, 86; *leptocaulis* 144; *leptorachis* 144; **lewisii 136**, fig. 136, 137, 139; *malitiosa* 153; **medioxima** fig. 138, **139–141**; **mensicola 133–135**, fig. 134; *micracantha* 425; *micrantha* 425; **miranda 141–143**, fig. 142; *misera* var. **inermis 147**; *modesta* var. **ursinoides 153**; **morroënsis 147**, fig. 147, 148; **nothopteris** fig. 128, **133**; *obovata* 85–87, key 85; *ophthalmocentra* 133, 135; **palmetorum 149**, 150, fig. 150, 152; *paniculata* 425; *paucifolia* 145, 147; *phyllodinea* 147; *pigra* 143, 425; **piptoptera 145–147**, fig. 146, 152; *polycephala* 152; **polydidyma 150–152**, fig. 151; *pseudo-obovata* 85, 86; *pteridifolia* 128–132, var. *armandiana* 129, var. *nanophylla* 132; *rufescens* 86, key 86; *scabrella* 425; *sensitiva* var. **malitiosa 153**; *somnians* 129, 143, 144, var. **leptocaulis** 143, **144**, var. **longipes 144**, var. **velascoënsis 144**, var. **viscida 144**, 145; *spirocarpa* 425; *subsericea* 153, var. *strigosa* 153, var. *subsericea* 153; *surumuënsis* 129; *tenuiflora* 133; *ulbrichiana* 147, 148; *ursinoides* 153; *velascoënsis* 144; *viscida* 144; *xanthocentra* var. **subsericea 152**

Mimosaceae (see also Leguminosae) 85–87, 125–153, 186–189; Mimosae 85

Mimulus: montioides 416; *rubellus* var. *latifolia* 416

Minuartia douglasii var. *douglasii* 394

Mirabilis alipes 413

MISHLER, BRENT D. & STEVEN P. CHURCHILL, Cladistics and the land plants: a response to Robinson 282–285

Misodendraceae 58–75, 278

Misodendron 58–75; subg. **Angelopogon** 58, 60, 61, 66, 68, 71–74, key 72, **73**; subg. *Eumyzodendron* 58, 72, 73; subg. *Gymnophyton* 72; subg. *Misodendron* 58, 60, 64, 66, 68, 71–74, key 72; sect. *Angelopogon* key 72; sect. *Archiphyllum* key 72; sect. *Telophyllum* key 72; *angulatum* 58, 60, 61, 64, 66, 68, fig. 69, 71, key 72; *brachystachyum* 58–61, figs. 63 & 65, 64, 68, 71–74, key 72; *commersonii* 58; *gayanum* 58–60, 64, 66, 68, 71, 72, key 72; *imbricatum* 60, 64, 66, fig. 67, 68, key 72; *linearifolium* 60, 61, 64, fig. 67, 68, 71, key 72, 73; *macrolepis* 58; *oblongifolium* 60, 61, 64, fig. 65, 68, 71–74, key 72; *punctulatum* 58–60, 64, 66, 68, fig. 70, key 72; *quadriflorum* 60, 61, fig. 62, 64, 68, 71, key 72, 73; *recurvum* 58–60, 64, 66, 68, 71, key 72

Mitella: stauropetala 416; *stenopetala* 416

Mniochloa 22

Monimiaceae 278

Monocotyledons 231–234

Monolepis pusilla 402, 416

Montana collections of Francis Duncan Kelsey, by Wayne J. Elisens 382–391

MORI, SCOTT A. See Wendt, Mori & Prance 347–351

Morphologic and cytotaxonomic evaluation of *Lomatium tuberosum* (Apiaceae), by Joy D. Mastrogiuseppe, Steven J. Gill, Karen S. Simmons & Gregory K. Brown 252–260

Morphologic variation and classification of the North American *Aristida purpurea* complex (Gramineae), Erratum, by Kelly W. Allred 162

MORTON, GARY. See Semple, Ringius, Leeder & Morton 121

Mosses 279, 280, 282–284, 385

Muellera 178

Muhlenbergia: filiformis 423; *mexicana* 416; *sylvatica* var. *setiglumis* 416

Musineon 104; *divaricatum* 93

Mussaenda 115

Mutisia retrorsa γ *hieronymi* 334, β *latifolia* 334

Myoschilos 74

Myriactis javanica α *glabriuscula* 334

Myzodendraceae: See Misodendraceae

Myzodendron: See *Misodendron*

Najadaceae 392, 393

Najas 392, 393; *ancistrocarpa* 392, 393; *conferta* 392; **filifolia 392**, 393; *wrightiana* 392

Nassavia: morenonis 334; *pyramidalis* var. *arachnodea* 334

Nasturtium obtusum var. *alpinum* 416

NEE, MICHAEL—book review of *Peppers, the Domesticated Capsicums*, by Jean Andrews 218

Nelsonianthus key 212, 214; *epiphyticus* 214

NELSON, JANE P. See Nelson & Nelson 394–396

NELSON, THOMAS W. & JANE P. NELSON, A new *Madia* of sect. *Anisocarpus* (Compositae: Heliantheae) from Trinity County, California 394–396

Nemophila breviflora 416

Neolloydia johnsonii 410

Neoparrya 104

Neopringlea integrifolia 315

Nevada: *Haplopappus* 165–168; *Penstemon* 321–324

New *Acacia* (Mimosaceae) from tropical southeast Brazil, by James W. Grimes & Rupert C. Barneby 186–189

New arborescent *Chamaecrista* (Caesalpiniaceae: Cassiinae), by Howard S. Irwin & Rupert C. Barneby 14–16

New combination in *Maranthes* (Chrysobalanaceae), by Ghillean T. Prance & Frank White 76–77

New combination in *Palicourea* (Rubiaceae: Psychotrieae) with ethnobotanical notes from Amazonian Bolivia, by Brian M. Boom 209–210

New combinations for *Panicum* subgenus *Panicum* and subgenus *Dichanthelium* (Poaceae) of the Southeastern United States, Erratum, by Michel G. Lelong 164

New combinations in Hawaiian *Chamaesyce* (Euphorbiaceae), by Daryl L. Koutnik 397–399

New *Haplopappus* (Asteraceae: Astereae) from Nevada, by Arnold Tiehm & Leila M. Shultz 165–168

New *Madia* of sect. *Anisocarpus* (Compositae: Heliantheae) from Trinity County, California, by Thomas W. Nelson & Jane P. Nelson 394–396

New name in *Dyschoriste* (Acanthaceae), by T. P. Ramamoorthy & Dieter C. Wasshausen 358–359
New *Penstemon* (Scrophulariaceae) from northwestern Nevada, by David M. Danley 321–324
New simple-leaved species of *Recchia* (Simaroubaceae) from southeastern Mexico, by Tom Wendt & Emily J. Lott 219–225
New species and a new combination in the genus *Eucrosia* (Amaryllidaceae), by Alan W. Meerow & Bijan Dehgan 47–55
New species and a new combination in western North American *Silene* (Caryophyllaceae), by Arnold Tiehm 344–346
New species of *Comarostaphylis* (Ericaceae, Arbuteae) from Tamaulipas, Mexico, by Laurence J. Dorr & George M. Diggs, Jr. 378–381
New species of *Cymopterus* (Umbelliferae) from southern Idaho, by Ronald L. Hartman 102–105
New species of *Eucrosia* and a new name in *Stenomesson* (Amaryllidaceae), by Alan W. Meerow 305–309
New species of *Gleasonia* (Henriquezieae: Rubiaceae) from Brazilian Guayana, by Brian M. Boom 317–319
New species of grasses in *Arberella, Cryptochloa,* and *Raddia* (Poaceae: Bambusoideae: Olyreae), by Thomas R. Soderstrom & Fernando O. Zuloaga 22–35
New species of *Habracanthus* (Acanthaceae) from Ecuador, by Dieter C. Wasshausen 243–251
New species of *Hansteinia* (Acanthaceae) from Colombia and Ecuador, by Dieter C. Wasshausen 203–208
New species of *Maxillaria* (Orchidaceae) from Costa Rica, by Kerry A. Barringer 44–46
New species of *Najas* (Najadaceae) from the southeastern U.S.A., by Robert R. Haynes 392–393
New species of *Sabal* (Palmae) from Florida, by Scott Zona 366–368
New species of *Senna* (Caesalpiniaceae) from coastal northern Bahia, Brazil, by Howard S. Irwin & Rupert C. Barneby 192–194
New species of *Verbesina* (Asteraceae) from gypsum outcrops in southern Nuevo León, Mexico, by Billie L. Turner 96–97
Nicotiana attenuata 402, 416
NORMAN, ELIANE M. & CHARLES R. GUNN, *Pachecoa prismatica* (Fabaceae): Taxonomy and phylogeny 78–84
North America: *Aristida purpurea* 162; *Cymopterus* 88–95; *Rhodocybe pulchrisperma* 182–185; *Silene* 344–346
Note on the unusual stipules in *Gleasonia prancei* (Rubiaceae), by George K. Rogers 320
Notes and lectotypification of some type specimens of *Sisyrinchium* (Iridaceae), by Anita F. Cholewa & Douglass M. Henderson 163–164
Nothofagus 58, 74
Nymphaeales 231
Obione: phyllostegia 402, 416; *pusilla* 402, 416; *torreyi* 416; *truncata* 402, 416
Odontotrichum key 212, 213, 214; *delphinifolia* 214; *sinuatum* 214
Oenothera: alyssoides var. *minutiflora* 416; *caespitosa* var. *caespitosa* 417; *heterantha* 387, var. *taraxacifolia* 416; *marginata* var. *purpurea* 417; *pterosperma* 417; *scapoidea* subsp. *utahensis* 417; *strigulosa* var. *pubens* 417
Olsynium 164; *inflatum* 163
Olyra 1, 2, 22, 27; *latifolia* 22; *obliquifolia* 27
Onagra strigosa 389
Onoseris: **chrysactinioides** 6, **8**, fig. 9; *gnaphalioides* 8; *hyssopifolia* 8; *lopezii* 8
Onuris 278
Orchidaceae 44–46, 154–162, 233, 286–290; Apostasioideae 232; Cypripedioideae 232; Neottioideae 158; Orchidoideae 232; Spiranthoideae 158; Spiranthinae 154–162
Oreobroma 56, 57; *megarhizum* 56, 57; *mexicanum* 56, 57
Oreobroma megarhizum is a *Calandrinia* of section *Acaules* (Portulacaceae), by Walter A. Kelley & John R. Swanson 56–57
Oreoxis 93, 94, 104; *alpina* 93
Ormocarpum 81
Ormosia: macrocalyx 223; *panamensis* 350
Ornithidium 44
Orogenia linearifolia 417
Orthocarpus pilosus 402, 417
Oryctes nevadensis 417
Osteospermum: glaberrimum 334; *pterospermum* f. *integrifolium* 334
Otto Kuntze, Botanist. V. Type specimens of Asteraceae described in his *Revisio Generum Plantarum,* by Mark Allen Wetter & Thomas A. Zanoni 325–340
Oxalis 278
Oxytheca: perfoliata 417; *watsonii* 417
Pachecoa 78–84, key 83; *guatemalensis* 78; *prismatica* 78–84, fig. 79, map 81; *venezuelensis* 78, 80
Pachecoa prismatica (Fabaceae): Taxonomy and phylogeny, by Eliane M. Norman & Charles R. Gunn 78–84
Packera 217
Palicourea 209, 210; **brachyloba 209**, 210
Palmae: See Arecaceae
Paloveopsis emarginata 291, 300
Pandanaceae 232
Panicum 22, 164; subg. *Dichanthelium* 164; subg. *Panicum* 164; *elongatum* 164; *longifolium* var. *pubescens* 164; *maximum* 82; *rigidulum* var. *elongatum* 164
Paraguay: Orchidaceae 154–162
Pariana 22
Parinari 169–178; *anamensis* 172, 177; *bicolor* 172, 177; *brachystachya* 174, 177; *brasiliensis* 172, 177; *campestris* 169, 172, 177; *canarioides* 172, 177; *capensis* 170, 172–174, 177; *cardiophylla* 172, 177; *chapelieri* 172–174, 177; *chocoensis* 172, 177; *congensis* 172–174,

177; *congolana* 172–174, 177; *costata* 172, 177; *curatellifolia* 170, 172–174, 176; *excelsa* 170, 172–174, 177; *hypochrysea* 172–174, 177; *insularum* 172, 177; *klugii* 172, 177; *littoralis* 172, 177; *maguirei* 172, 177; *montana* 169, 172, 177; *nonda* 172, 178; *oblongifolia* 172, 177; *obtusifolia* 172, 177; *occidentalis* 172, 177; *pachyphylla* 172, 177; *parilis* 172, 177; *parvifolia* 172, 177; *rodolphii* 172, 177; *rubiginosa* 172, 178; *sprucei* 172, 177; *sumatrana* 172, 178

Parnassia: fimbriata var. *intermedia* 417; *intermedia* 417

Parrya: nudicaulis var. *nudicaulis* 417; *platycarpa* 417

Parthenium incanum 315

Paspalum plicatulum 82

Pediocactus simpsonii var. *robustior* 410

Pelexia 158

Penstemon 98–101, 321–324; subg. *Saccanthera* 321–323; sect. *Cristati* 98, 100, 101; sect. *Glabri* 323; sect. *Saccanthera* 321; *atwoodii* key 101; *azureus* var. *ambiguus* 417; *caespitosus* var. *incanus* 42; *concinnus* key 101; *confusus* 100; *cusickii* 323, fig. 323; *distans* 100, 101; **floribundus 321**–324, figs. 322 & 323; *fremontii* var. *parryi* 402, 417; *glaber* var. *utahensis* 417; *grahamii* 100, key 101; *heterophyllus* var. *latifolius* 417; *humilis* var. *brevifolius* 417; *kingii* 321–323, 418; *miser* 100; *nanus* 100, 101; *ophianthus* key 101; **pinorum 98**–101, fig. 99, map 100, key 101; *platyphyllus* 417; *sepalulus* 417; *speciosus* 323; *subglaber* 417; *thompsoniae* var. *thompsoniae* 42; *watsonii* 417, 418

Penstemon pinorum (Scrophulariaceae), a new species from Utah, by Leila M. Shultz & John S. Shultz 98–101

Pentacalia key 212, 214; *parasitica* 214

Pentas 115

Peperomia 426

Perezia: elongata 334; *laurifolia* 334; *multiflora β achalensis* 334; *oleracea* 334; *sonchifolia β tandilensis* 334

Pericalia 215; *suffulta* 215

Peru: Asteraceae 6–13; *Marila spiciformis* 106–108; Zannichelliaceae 17–21

Petalostemon searlsiae 41, 42

Petrogenia 310–316; *repens* 310, 311, 313

Petrogenia as a synonym of *Bonamia* (Convolvulaceae), with comments on allied species, by Daniel F. Austin & George W. Staples 310–316

Petrophytum caespitosum 422

Peucedanum: bicolor 418; *graveolens* 418, var. *alpinum* 418; *lapidosum* 94; *millefolium* 418; *nevadense* 418; *simplex* 402, 418

Phacelia: adenophora 410; *bicolor* 418; *crassifolia* 418; *crenulata* 418; *curvipes* 418; *glaberrima* 410; *gymnoclada* 418; *incana* 418; *palmeri* 418; *pusilla* 401, 418; *rotundifolia* 419; *sericea* 386; *tetramera* 410

Phaedranassa 52, 309; *eucrosioides* 54

Phellopterus 104

Philadelphus lewisii 386

Phlox: albomarginata 389; *kelseyi* 384, 389

Physalis 426

Phytolaccaceae 80

Picrosia longifolia β angustissima 335

Pilea 223, 230

Pinckneya 109, 115

Pinus: contorta var. *latifolia* 402, 419; *edulis* 100; *flexilis* 100; *longaeva* 100; *monophylla* 99, 100; *ponderosa* 100

Piperaceae 426

Pippenalia key 212, 214; *delphinifolia* 214

Piqueria trinervia var. *luxurians* 335

Piresia 22, 32; *leptophylla* 27

Pitcairnia 230

Pithecellobium furcatum 223

Pittocaulon key 212, 215; *praecox* 215

Placus: balsamifer δ aromaticus 335, f. *subintegerrimus* 335, *β normalis* var. *appendiculatus* 335, f. *denticulatus* 335, *γ silvaticus* 335, *ε spectabilis* f. *denticulatus* 335; *glomeratus* var. *oligocephalus* 335; *laciniatus* var. *hongkongensis* 335; *mollis β albiflorus* 35, *α lilacinus* 335; *oxyodontus δ acuminatus* f. *glomeratus* 335, *β erianthus* f. *longipedunculatus* 335, *ε pygmaeus* 335, *γ tener* f. *glomeratus* 335

Plagiobothrys: kingii 411; *leptocladus* 411

Plagiogyriaceae 235

Plantago: elongata 419; *myosuroides* 419

Platycarpum 320

Pluchea: camphorata α pubescens 335; *odorata* var. *brevifolia* 335

Poa 423; *andina* 402, 419; *canbyi* 419; *eatonii* 419; *fendleriana* 419; *kingii* 419; *montana* 419; *secunda* 254, 419; *tenuifolia* 402, 419

Poaceae 1–5, 22–35, 162, 164, 315; Bambusoideae 22–35; Olyreae 1–5, 22–35; Parianeae 22

Podistera 104

Podocarpus reichei 229

Pogonopus 109, 115

Polemoniaceae 400

Polygonum: bistorta var. *linearifolium* 419; *bistortoides* 419; *minimum* 419

Polypodiaceae 235

Pongamia 178

Porophyllum oppositifolium 335

Portulacaceae 56, 57

Potamogeton: filiformis 419; *latifolius* 419; *marinus* var. *occidentalis* 419; *pectinatus* var. *latifolius* 419; *pusillus* var. *pusillus* 419, var. *vulgaris* subvar. *interruptus* 419

Potentilla: candida 419; *dissecta* var. *decurrens* 419; *diversifolia* var. *multisecta* 420, var. *pinnatisecta* 420; *fruticosa* 420, var. *parvifolia* 420; *gracilis* var. *elmeri* 419; *kelseyi* 384, 389; *multisecta* 420; *ovina* 420, var. *decurrens* 419

Pouteria 350; *sapota* 222

PRANCE, GHILLEAN T.—book review of *Flora of the British Isles: Illustrations*, by A. R. Clapham, T. G. Tutin & E. F. Warburg 153

———.—book review of *History of the British*

Flora: A Factual Basis for Phytogeography, Second edition, by Sir Harry Godwin 181
———.—book review of *Medicinal Plants of China,* by James A. Duke & Edward S. Ayensu 194
———.—book review of *Of Plants and People,* by Charles B. Heiser, Jr. 425–426
———.—book review of *Our Green and Living World: The Wisdom to Save It,* by E. S. Ayensu, V. H. Heywood, G. Lucas & R. A. DeFilipps 116
———.—book review of *The Ecology of Neotropical Savannas,* by Guillermo Sarmiento, translated by Otto Solbrig 75
———. See Coradin, Giannasi & Prance 169–178
———. See Wendt, Mori & Prance 347–351
——— & FRANK WHITE, A new combination in *Maranthes* (Chrysobalanaceae) 76–77
Proliferous species of *Elaphoglossum* (Elaphoglossaceae) and their relatives, by John T. Mickel 261–278
Prosartes trachycarpa 420
Proustia: angustifolia var. *mollis* 335; *pungens* β *heterophylla* 336
Psacaliopsis key 212, 214; *pudicus* 214; *purpusii* 214
Psacalium key 212, 213; *peltatum* 213; *sinuatum* 214
Psammisia 181; *dolichopoda* 181; *pedunculata* 181
Pseudocymopterus 104; *humboldtensis* 104; *montanus* 94
Pseudoeurystyles 154, 155, 157, fig. 157, 158, 161; *cogniauxii* 161; *gardneri* 161; *lorenzii* 161; *schwackeana* 155, 161
Pseudogynoxys 214; *chenopodioides* 214
Psilotum 283
Psittacanthus 58; *calyculatus* 73
Psorothamnus: fremontii var. *fremontii* 409; *kingii* 409; *polydenius* 409
Psychotria 209; sect. *Oribasia* 209; sect. *Palicourea* 209; sect. *Psychotriopsis* 209; *brachyloba* 209, 210
Pteridophytes 235
Pterocaulon: cordobense 336; *lanatum* 336; *latifolium* 336
Pteryxia 104
Pucara 309
Puccinia: agropyri 387; *consimilis* 387; *distichlydis* 387; *granulispora* 387; *heterantha* 387; *hyalomitria* 387; *kelseyi* 387; *montanensis* 387; *suksdorfii* 387
PURSELL, RONALD A. & WILLIAM D. REESE, *Fissidens austro-americanus* (Bryopsida: Fissidentaceae), a new species from Brazil and Suriname 355–357
Quassia 223; *multiflora* 191; *orinocensis* 190
Quercus: alba 363; *gambelii* 100; *germana* 229; *mexicana* 380; *opaca* 380; *sartorii* 229; *velutina* 363
Raddia 22, 23, 27, 32–34; **angustifolia** 22, key 32, **32–34**, fig. 33; *brasiliensis* key 32, 34; *distichophylla* key 32; *guianensis* 27, key 32; *portoi* key 32
Raddiella 22
RAMAMOORTHY, T. P. & DIETER C. WASSHAUSEN, A new name in *Dyschoriste* (Acanthaceae) 358–359
Ramularia arnicalis 387
Ranunculus: adoneus var. *alpinus* 420; *alismaefolius* var. *montanus* 420; *andersonii* var. *tenellus* 420; *gmelinii* var. *hookeri* 420; *juniperinus* 420; *macounii* 420; *montanensis* 389; *multifidus* var. *repens* 402, 420; *orthorhynchus* var. *alpinus* 420, var. *platyphyllus* 420; *rivularis* 420
Rauhia 309
Recchia 219–225; *connaroides* 222; *mexicana* 222; **simplicifolia 219–224**, figs. 221 & 222, map 224
REESE, WILLIAM D. See Pursell & Reese 355–357
Rehia 22
Reitzia 22
Remarkable new *Macleania* (Ericaceae) from Colombia, by James L. Luteyn 179–181
Revision of *Schimperella* (Brachytheciaceae), by William R. Buck 36–40
Rhodocybe 182–185, key to large-spored spp. 185; sect. *Rhodocybe* 182, 183; *atrigilva* key 185; *gibbosa* key 185; **pulchrisperma 182–185**, figs. 183 & 184, key 185; *villosa* key 185
Rhodocybe pulchrisperma (Entolomataceae): A new species from North America, by Roy E. Halling & Timothy J. Baroni 182–185
Rhus trilobata 100
Rhynchocarpidium 36; *atrotheca* 36, 37; *katalense* 36, 37
Rhynchostegium 36, 39, 40; *comorae* 37; *nervosum* 36, 40
Ribes: floribundum 386; *leptanthum* var. *brachyanthum* 420; *nevadense* 420; *sanguineum* var. *variegatum* 420; *velutinum* var. *velutinum* 420
RICHARDSON, P. MICK—book review of *Ecology and Evolutionary Biology: A Round Table on Research,* edited by George W. Salt 290
———.—book review of *Phytochemical Methods,* Second edition, by J. B. Harborne 309
———.—book review of *Plant Variation and Evolution,* Second edition, by D. Briggs & S. M. Walters 251
———.—book review of *The Chemistry of Allelopathy: Biochemical Interactions among Plants,* edited by Alonzo C. Thompson 251
RINGIUS, GORDON S. See Semple, Ringius, Leeder & Morton 121
Robinia pseudo-acacia 363
ROBINSON, HAROLD, Comments on the cladistic approach to the phylogeny of the "bryophytes" by Mishler and Churchill 279–281
———. See Burns-Balogh, Robinson & Foster 154–162
ROGERS, GEORGE K., A note on the unusual stipules in *Gleasonia prancei* (Rubiaceae) 320
Roldana 117, 213, 215; *acutangula* 215; *albo-*

nervia 215; *barba-johannis* 215; *hintonii* 120; *suffulta* 215
Rorippa: curvipes var. *alpina* 416, var. *integra* 420; *integra* 420
Rosaceae 169, 384; Rosoideae 169
Rosellinia parasitica 387
Rothia: degenerica 336; *intermedia* 336; *pinnata* α *pallida* 336, β *purpurascens* 336
Rubiaceae 4, 109–116, 209, 210, 317–320; Cinchonoideae 115; Guettardoideae 115; Ixoroideae 115; Rubioideae 115; Cinchoneae 115; Condamineeae 109, 114, 115; Cruckshanksieae 115; Gardenieae 115; Hedyotideae 115; Henriquezieae 317–320; Isertieae 115; Pavetteae 115; Psychotrieae 209, 210; Rondeletieae 115
Rumex paucifolius 402, 420
Russula 360–365; sect. *Compactae* 364, 365; sect. *Viridantinae* 365; subsect. *Compactae* 364; subsect. *Crassotunicatinae* 365; subsect. *Nigricantes* 364; subsect. *Olivaceinae* 365; subsect. *Xerampelinae* 365; *densifolia* 364; *dissimulans* 364; *eccentrica* 360–365, figs. 361 & 362; *incarnata* 360, 363, 364; *morgani* 360–365; *nigricans* subsp. *eccentrica* 360, 364; *subnigricans* 360, 364
Russulaceae 360–365
Sabal 366–368; subg. *Eusabal* 366; subg. *Inodes* 366, fig. 367; subg. *Sabal* 366; *adansonii* var. *megacarpa* 366; *etonia* 366–368, fig. 367; *megacarpa* 366; **miamiensis 366–368**, fig. 367; *minor* 366; *palmetto* 366–368, fig. 367
SAGÁSTEGUI-ALVA, ABUNDIO & MICHAEL O. DILLON, Four new species of Asteraceae from Peru 6–13
Salix 386–388; *cordata* var. *watsonii* 420; *exigua* var. *exigua* 421; *lutea* 420; *nevadensis* 421
Salvia dorrii 100, 321
Santalaceae 73, 74
Santalales 59
Sapranthus humilis 223
Sarcobatus 321
Sarcoglottis 154
SASTRE-DE JESÚS, INÉS—book review of *Mosses of the Gulf South from the Rio Grande to the Apalachicola,* by William D. Reese 340
Satyria 181
Sauroglossum 157
Scalesia 189
Schimperella 36–40; *atrotheca* 37, fig. 38; *katalensis* 36–39, key 37, fig. 38; *rhynchostegioides* 36, 37, key 37, 39, fig. 39, 40
Schistocarpha hoffmannii 336
Schizaeaceae 235
Schizocalyx 115
SCHLICHTING, CARL D.—book review of *Evolutionary Ecology,* edited by B. A. Shorrocks 234
Schoberia occidentalis 421
Sciadophyton 280
Scirpus: californicus 426; *nevadensis* 421
Scitamineae 154
Scrophulariaceae 98–101, 195–198, 202, 321–324, 352–354; Antirrhinae 202; Maurandyinae 202
Searls, Fanny 41–43, fig. 42
Seddera 313
Sedum debile 421
Selaginella: watsonii 421; *willdenovii* 235
Selinocarpus 315
Selinum kingii 421
SEMPLE, JOHN C., GORDON S. RINGIUS, COLLEEN LEEDER & GARY MORTON, Chromosome numbers of goldenrods, *Euthamia* and *Solidago* (Compositae: Asstereae). II. Additional counts with comments on cytogeography, Erratum 121
Senecio 117–120, 211–218, key to *Senecionoid* genera 212–213; subg. *Pseudogynoxys* 214; sect. *Amplectentes* 216, 217; sect. *Annui* 216; sect. *Aurei* 217; sect. *Columbiani* 216, 217; sect. *Convolvuloidei* 214; sect. *Eremophili* 216; sect. *Granata* 13; sect. *Incani* 216; sect. *Lobati* 217; sect. *Mulgedifolii* 215; sect. *Multinervii* 216; sect. *Palmatinervii* 117–120, 215; sect. *Streptothamni* 214; sect. *Suffruticosi* 216; sect. *Terminales* 215; sect. *Tomentosi* 217; subsect. *Granata* 13; group Convolvuloidei key 212, 214; group Fruticosi key 213, 215, 216; group Herbacei key 213, 216, 217; group Mulgedifolii key 213, 215; group Palmatinervii key 212, 213–215; group Streptothamni key 212, 214; subgroup Annui key 213, 216; subgroup Aureoidei key 213, 217; subgroup Fruticosi key 213, 216, 217; subgroup Lugentes key 213, 217; subgroup Multinervii key 213, 216; subgroup Suffruticosi key 213, 216; subgroup Triangulares key 213, 216, 217; *acutangulus* 215; *alatus* β *elatus* 336, α *nudicaulis* 336; *albonervius* 215; *amplectens* var. *holmii* 421; *angustiradiatus* 214; *appendiculatus* β *calvescens* 336; *arabidifolius* 336; *arachnoideus* 389; *armentalis* 214; *aschenbornianus* 117–120; *barba-johannis* 215; *beaufilsii* 336, β *toninii* 336; *bellidifolius* 217; *biserrifolius* 340; *californicus* 216; *callosus* 215; *canus* 421, var. *eradiatus* 421; *cathcartensis* 336; *chenopodioides* 214; *cobanensis* 215; *colensoensis* 336; *colombianus* 13; *concolor* var. *subglaber* 336; *confusus* 214; *cooperi* 216; *coronopifolius* var. *incisodentatus* 336; *corymbosus* α *glabrescens* 336, γ *tomentosus* 336; *crassiflorus* var. *grandiflorus* 337, var. *parviflorus* 337; *deppeanus* 216; *douglasii* 216, γ *filiformis* 337, α *normalis* 337, δ *riddellii* 337, β *sublanceolatus* 337; *epiphyticus* 337; *eremophilus* var. *kingii* 421; *erubescens* γ *glabrescens* 337, β *rosulatus* 337; *fibrosus* 337; *firmipes* 216; *gerberaefolius* 217; *gibsonii* 120; *hansweberi* 217; *hauthalii* 337; *heritieri* α *humilis* 337, var. *wildpretii* 340; *integerrimus* var. *exaltatus* 421; *kingii* 421; *kuntzei* 337; *lanicaulis* 117, 118; *launayaefolius* 337; *linariaefolius* var. *discodeus* 337; *lugens* var. *hookeri* 421, var. *parryi* 421; *maderensis* β *acutangulus* 340, α *brevifolius* 340, γ *longifolius* 340, δ *unicolor* 340; **mini-**

auritus 6, **11–13**, fig. 12; *morenonis* 337; *multidentatus* 217; **neogibsonii** 117, **119**, fig. 119, 120; *nubivagus* 214; *obtectus* 337; *oerstedianus* 216; *oxydontus* var. *sublyratus* 337; *palmeri* 216; *papyraceus* α *candolleanus* 340, β *schultzianus* 337; *parasiticus* 214; *passus-crucis* 337; *pilosus* var. *angolensis* 337; *pinifolius* f. *macrocephalus* 338; *pinnatus* γ *leptolobus* var. *citrinus* 338, var. *rubescens* 338, var. *sulfureus* 338; *platylobus* 421; *pleniauritus* 13; *praecox* 215; *purpusii* 214; *remyanus* f. *eradiatus* 338; *salignus* 216; *sanguisorbae* 217; *seridophyllus* 421; *solidago* 389; *sphaerocephalus* 421; *stoechadiformis* 216; *streptanthifolius* 421; *subrubriflorus* 338; *subvulgaris* 338; *suffultus* 215; **sundbergii 117–119**, fig. 118; *thomasii* 216; *tolimensis* 13; *toluccanus* 217; *tricephalus* 338; *triligulatus* δ *brevipedunculatus* 338, β *foliato-pedunculatus* 338; *tunicatus* 338; *verruculosus* β *dentatus* 338, α *subulatus* 338; *vulgaris* 216; *warszewiczii* 217; *webbii* var. *maximus* 338, var. *saxatilis* 338

Senna 192–194; sect. *Chamaefistula* 192, 194; sect. *Peiranisia* 194; ser. *Bacillares* 194; ser. *Interglandulosae* 194; ser. *Laxiflorae* 192, 194; *australis* 192, 193; **phlebadenia 192–194**, fig. 193

Sherbourina batesii 115

SHULTZ, JOHN S. See Shultz & Shultz 98–101

SHULTZ, LEILA M. See Tiehm & Shultz 165–168

——— & JOHN S. SHULTZ, *Penstemon pinorum* (Scrophulariaceae), a new species from Utah 98–101

Silene 344–346; *aperta* 344–346; *bernardina* 344–346, subsp. *maguirei* 346, var. **rigidula** 344–346; *douglasii* var. *douglasii* 421, var. *macrocalyx* 421; *invisa* 344, 345; *montana* 346, subsp. *bernardina* 346, var. *rigidula* 346, var. *sierrae* 346, var. *viscida* 346; **nachlingerae 344–346**, fig. 345; *nuda* var. *nuda* 415; *shockleyi* 346

Simaba 190, 191, 223; *alata* 191; *angustifolia* 191; *foetida* 191; *guianensis* 191, subsp. *angustifolia* 191, subsp. *schomburgkiana* 191; *multiflora* 190, 191, subsp. *schomburgkiana* 191; *orinocensis* 190, 191

Simaba orinocensis, an earlier name for *Simaba multiflora* (Simaroubaceae), by Wm. Wayt Thomas 190–191

Simaroubaceae 190, 191, 219–225

SIMMONS, KAREN S. See Mastrogiuseppe, Gill, Simmons & Brown 252–260

Sisymbrium linifolium 387

Sisyrinchium 163, 164; *californicum* 163; *douglasii* var. *inflatum* 163, 164; *inalatum* 163, 164; *inflatum* 163; *sarmentosum* 163, 164

Sium suave 93

Smilacina stellata 423

SOBEL, GAIL L.—book review of *Field Guide and Travel Journal: Plants of the Galápagos Islands*, by Eileen K. Schofield 189

———.—book review of *Manual of Cultivated Broad-leaved Trees and Shrubs, Volume I, A–D*, by Gerd Krüssmann, translated by Michael E. Epp 359

Sobralia 286

SODERSTROM, THOMAS R. & FERNANDO O. ZULOAGA, *Diandrolyra tatianae* (Poaceae: Olyreae), a new herbaceous bamboo from Brazil 1–5

——— & ———, New species of grasses in *Arberella, Cryptochloa,* and *Raddia* (Poaceae: Bambusoideae: Olyreae) 22–35

Solanum: sect. *Lasiocarpa* 426; *muricatum* 426; *quitoense* 426

Solidago 121; *californica* 121; *canadensis* 121, var. *canadensis* 121, var. *hargeri* 121; *curtisii* 121; *guiradonis* var. *spectabilis* 421; *nemoralis* 422; *radulina* 422; *spectabilis* 421

Sophia intermedia 389

Soulamea 223

South America: *Agalinis* 352–354

Southern Appalachian Russulas. III. The identity of *Russula eccentrica* and *R. morgani* (Russulaceae), by Gerald F. Bills 360–365

Spartina gracilis 387

Sphaeromeria: cana 422; *diversifolia* 422

Sphagnum 284

Spiraea caespitosa var. *elatior* 422

Spiranthes 154, 157, 158; *actinosophila* 160; *gardneri* 161

Spondias radlkoferi 222

Sprengeria watsoniana 422

Stafleu, Frans A. fig. 343

Stanleya: arcuata 422; *pinnata* var. *pinnata* 422

STAPLES, GEORGE W. See Austin & Staples 310–316

Stellaria kingii 422

Stenomesson 305–309; *aurantiacum* 52; *breviflorum* 307; **campanulatum** 305, fig. 306 & 307, **307**, 308; *miniatum* fig. 307, 308; *peruvianum* 307; *stricklandii* 51, 52, 55

Stenoptera 154; *ananassocomos* 160; *guentherana* 161; *lorenzii* 161; *roehlii* 160

Stenorrhynchos 154, 158; *cogniauxii* 161

Stephanomeria: exigua var. *pentachaeta* 422; *myrioclada* 422; *pentachaeta* 422; *runcinata* 386

Stipa occidentalis 402, 422

Stipules: *Gleasonia* 320

Strephium 22

Streptanthella longirostris 404

Stricklandia 52; *eucrosioides* 51, 52, 54

Studies in tropical American Leguminosae—IX, by Richard S. Cowan 291–304

Stylisma 311, fig. 311, 312, key 313; *patens* subsp. *angustifolia* fig. 311; *villosa* fig. 311

Stylosanthes 83, key 83

Suaeda: diffusa 422; *occidentalis* 421; *torreyana* 422

Sucrea 22; *monophylla* 34

Surianaceae 219, 223

Suriname: *Fissidens austro-americanus* 355–357

SWANSON, JOHN R. See Kelley & Swanson 56–57

Swartzia: subsect. *Swartzia* 303; ser. *Acutifoliae*

303; ser. *Orthostylae* 301; ser. *Racemosae* 304; **acreana** 291, fig. 295, **300**, 301; **aureosericea** 291, **301**, 302; **bahiensis** 291, fig. 297, **302**, 303; **bombycina** 291, **303**, 304; *curranii* 303; *dolichopoda* 304; *glazioviana* 303; *grandifolia* 301; *haughtii* 302; *hostmannii* 304; *lamellata* 301; *macrosema* 302; *macrostachya* 303; **oriximinaensis** 291, **304**; *pickelii* 303; *racemosa* 304; *recurva* 303; *robiniifolia* 302
Symphonia globulifera 223, 350
Symphoricarpos: longiflorus 42; *occidentalis* 387, 388
Synanthes 154–160, fig. 157, **158**; **bertonii** fig. 156, 158, **159**, 160; **borealis 160**
Synthyris pinnatifida 422
Syringidium 199, 201, 202
Systematic studies on Mexican Zamiaceae II. Additional notes on *Ceratozamia kuesteriana* from Tamaulipas, Mexico, by Andrew P. Vovides 226–231
Tagetes maxima 338
Tamaulipa 373; *azurea* 374
Tanacetum: canum 422; *diversifoiium* 422
Tapirira 350
Tecoma 315
Teichospora: helenae 387, 388; *megastega* 388; *papillosa* 388; *umbonata* 388
Telanthophora key 212, 215; *cobanensis* 215
Tellima nudicaulis 390
Terminalia amazonia 350
Tetradymia spinosa 321
Tetraspora gigantea 383, var. *solida* 383
Thalictrum: alpinum 422; *elegantulum* 422
Thelypteris 235
THIERS, BARBARA M.—book review of *The Experimental Biology of Bryophytes,* edited by A. F. Dyer & J. G. Duckett 236
THOMAS, WM. WAYT—book review of *Dispersal and Distribution,* edited by Klaus Kubitzki 13
———.—book review of *Ecologie de la Vegetation Terrestre,* by Michel Godron 5
———.—book review of *The Grasses of Bahia,* by S. A. Renvoize 5
———, *Simaba orinocensis,* an earlier name for *Simaba multiflora* (Simaroubaceae) 190–191
Three new species of *Elleanthus* (Orchidaceae) from Central America, by Kerry Barringer 286–290
Thyrsanthema ebracteata 338
TIEHM, ARNOLD, Additional herbarium specimens located at Columbia University 105
———, A new species and a new combination in western North American *Silene* (Caryophyllaceae) 344–346
———, Fanny Searls (1851–1939) 41–43
———, Vascular plant types of Clarence King's exploration of the fortieth parallel, 1867–1869 400–424
——— & LEILA M. SHULTZ, A new *Haplopappus* (Asteraceae: Astereae) from Nevada 165–168
Tithonia argophylla 422
Tolbonia anamitica 338
Tortula 283
Townsendia: florifer 423; *scapigera* 422, 423, var. *caulescens* 423; *watsonii* 423
Trachelosiphon 154, 160; *cogniauxii* 161; *colombianum* 160; *cristatum* 161; lorenzii 161; *paranaensis* 161
Tracheophytes 279–281, 283
Tragopogonodes picrodes var. *nudicaule* 340
Tricalysia anomalura 115
Tricardia watsonii 423
Trichilia havanensis 229
Trichopus 231
Tridax paraguayensis 338
Trifolium: dasyphyllum 423; *inaequale* 423; *kingii* 423; *parryi* 423; *uintense* 423
Trixis: antimenorrhoea γ *heterophylla* 338, δ *petiolata* 338; *grisebachii* 339; *radialis* α *pubescens* 339, β *subglabra* 340
Tropical America: Leguminosae 291–304
Tsuga canadensis 363
TURNER, BILLIE L., A new species of *Verbesina* (Asteraceae) from gypsum outcrops in southern Nuevo León, Mexico 96–97
———, Two new species of *Eupatorium* (Asteraceae) from northeastern Mexico 373–377
———, Two new species of *Senecio* section *Palmatinervii* (Asteraceae) from northeastern Mexico 117–120
Turpinia occidentalis 230
Two new Alismatidae from Ecuador and Peru (Alismataceae and Zannichelliaceae), by Lauritz B. Holm-Nielsen & Robert R. Haynes 17–21
Two new species of *Agalinis* (Scrophulariaceae) from South America, by Kerry Barringer 352–354
Two new species of *Cymopterus* (Umbelliferae) from western North America, by Ronald L. Hartman & Lincoln Constance 88–95
Two new species of *Esterhazya* (Scrophulariaceae) from Brazil, by Kerry Barringer 195–198
Two new species of *Eupatorium* (Asteraceae) from northeastern Mexico, by Billie L. Turner 373–377
Two new species of *Senecio* section *Palmatinervii* (Asteraceae) from northeastern Mexico, by Billie L. Turner 117–120
Umbelliferae: See Apiaceae
Uncinula 382, 383
Unifolium liliaceum 423
United States: *Eupatorium godfreyanum* 237–242; *Najas* 392, 393; *Panicum* 164
Uragoga brachyloba 209
Urbanisol tagetifolius γ *flavus* 339
Urceolina 308; *peruviana* 308
Uredinales 386, 387
Uredo: commelinacea 383; *gouaniae* 383
Uromyces dictyosperma 388
Urtica dioica var. *occidentalis* 423
Utah: *Penstemon pinorum* 98–101
Uvulariaceae 232
Vascular plant types of Clarence King's explo-

ration of the fortieth parallel, 1867–1869, by Arnold Tiehm 400–424
Verbesina 96, 97; sect. *Saubinetia* 96, 97; sect. *Verbesinaria* 96; **hintoniorum 96**, 97, fig. 97; *hypomalaca* 97, var. *saltillensis* 96; *potosina* 96, 97; *semidecurrens* 339
Vesicaria kingii 423
Vilfa depauperata var. *filiformis* 402, 423
Viola: monticola 390; *nuttallii* var. *venosa* 423; *purpurea* 423
Virgularia 195, 197
Viscaceae 59, 73, 74
VOVIDES, ANDREW P., Systematic studies on Mexican Zamiaceae II. Additional notes on *Ceratozamia kuesteriana* from Tamaulipas, Mexico 226–231
Vriesia 34
Warszewiczia 115
WASSHAUSEN, DIETER C., *Kalbreyeracanthus kirkbridei* (Acanthaceae), a new species from Colombia 199–202
———, New species of *Habracanthus* (Acanthaceae) from Ecuador 243–251
———, New species of *Hansteinia* (Acanthaceae) from Colombia and Ecuador 203–208
———. See Ramamoorthy & Wasshausen 358–359
WENDT, TOM & EMILY J. LOTT, A new simple-leaved species of *Recchia* (Simaroubaceae) from southeastern Mexico 219–225
———, SCOTT A. MORI & GHILLEAN T. PRANCE, *Eschweilera mexicana* (Lecythidaceae): A new family for the flora of Mexico 347–351
Wernera boraginifolia 339
WETTER, MARK ALLEN & THOMAS A. ZANONI, Otto Kuntze, Botanist. V. Type specimens of Asteraceae described in his *Revisio Generum Plantarum* 325–340
WHITE, FRANK. See Prance & White 76–77
Wilsonia 311
Wittmackanthus 115
Wolffiella 280, 284
Wood and stem anatomy of Misodendraceae: Systematic and ecological conclusions, by Sherwin Carlquist 58–75
Xenocarpus lobata β puberula 339
Yucca 315
Zannichellia: **andina 17**, 19, fig. 19, 20, map 20; *major* 20
Zannichelliaceae 17–21
ZANONI, THOMAS A. See Wetter & Zanoni 325–340
Zelometeorium patulum 159
Zingiberaceae 154
Zingiberales 154, 232
ZONA, SCOTT, A new species of *Sabal* (Palmae) from Florida 366–368
ZULOAGA, FERNANDO O. See Soderstrom & Zuloaga 1–5, 22–35
Zwingera orinocensis 190
Zycona oppositifolia 339

[BRITTONIA for October–December 1985 (37: 341–444) was issued 6 December 1985]